



**HAVELLS**

**Havells  Lighting**

**ab**

**CREATE TO CONNECT**

# PROFESSIONAL LUMINAIRES



## PRICE LIST

w.e.f. 1st November, 2023



# Lighting with Innovation at Havells

At Havells, we believe light is the fourth dimension of architecture. It can guide and direct. It can also enhance and show objects in its dynamic and marvelous self.

We understand every space needs lighting that is tailor-made for it, enhances it and brings everything to life; and it is this property that has been the hallmark in every product that comes out of our factory.

Our luminaires are not merely tools of illumination but the torchbearers of a new era in lighting. They stand testimony to our strength in manufacturing, from OPTO electronics to LED technology and integrating them in our state-of-the-art plants.

Our customers can rely on every aspect of safety, performance and reliability from our products.

And now we present our latest offerings, designed taking into consideration the feedback received from clients, customers and designers alike:

**Office Lighting:** Paradigms have been redefined with the advent of open plan offices. We are proud to present our range of lighting products for a brighter and more productive office space.

**Street Lights:** Smart cities evolving in India demand Next-Gen lighting. Havells street lighting range encompasses all the features that are needed for a more efficient lighting system.

**Landscape Lighting:** The Havells range of landscape lighting products have been revamped and new products introduced, to keep in sync with market dynamics and needs.

**Industrial Lighting:** The 'Make in India' initiative has given rise to a new set of high-tech industries all over India. The Havells industrial lighting range aims to provide a wide range of lighting solutions to new and existing industries.

**Retail Lighting:** Retail shopping is all about experience. With Havells retail lighting, deliver new and exciting experiences to customers..

**Solar Lighting:** Ambitious solar growth in India demands light fittings that are rugged, durable and in tune with latest industry standards. Our range of solar lighting goes a step ahead. People and the environmental footprint are central to our approach and form the basis of our sustainable policy.

**Colorscape (Architectural RGB Lighting):** Beautiful aesthetics not only make a place beautiful but also helps to lift the mood. Havells Colrscape RGB Lighting solutions lighting up public spaces and structures for improving their visual quality at night & transforming gloomy spots to a cheerful, inviting and secure places.

**Impressions (Architectural Indoor Lighting):** As workplace design becomes important for employers, Havells Impressions Range opens up fluid possibilities for architects and designers alike. Impressions Architectural Lighting solutions that offer more comfort, low glare, international styling, better aesthetics and best suitable for architectural designs.

## Smart Solutions:

- human centric lighting - Work under the shades of nature and watch your efficiency levels rise!  
**Tailor light to work in harmony with your natural rhythm**
- **Connected Lighting for Indoor Spaces- A digital ecosystem that connects lighting & IoT technology.**  
Today's workspaces are a maze, navigating technology and efficiency. As offices become more productive, responsive, efficient and human centric, they demand solutions that offer both flexibility and cost-effectiveness. With Havells Connected Lighting for Smart & Intelligent office solutions, that is unmatched.
- **Connected Lighting for outdoor Spaces – Havells innovations Lighting now enable all outdoor lighting products and luminaires connected with each other. Real time data mapping and controlling as per requirement. A perfect solutions for a smart city**
- **Automation & sensor enabled solutions - Havells Connected lighting also offers Day light harvesting, occupancy and motion sensing via in-built sensor based designs for making buildings more efficient.**

We combine our innovation and extensive experience to create lighting solutions that makes people feel good not only visually but also emotionally.







QRG TOWERS



HAVELLS

LLOYD

Greenlee

SMC

QRG

# Introduction of Plant





# CERTIFICATION



Havells lighting plant in Neemrana is spread over 1,21,405.69 m<sup>2</sup> of land with over 18,580.60 m<sup>2</sup> of working space under a single roof. The plant has been made keeping in mind the global markets of Europe, US and the Middle East. Setting new benchmarks in the industry, this Havells plant will help bridge the technological divide between Europe and India when it comes to manufacturing high-end lighting luminaries.

Japanese flexible CNC controlled steel fabrication process for the accuracy in sheet punching & bending Italian robotised box bending machines to design complex enclosure shapes without human intervention Automated powder coating paint shop to minimize wastage & fast colour change Eco-friendly zero discharge plant Parabolic rolling machine for replicating complex and accurate forms and shapes Flexible assembly line Modern laboratories.


Building customer confidence by providing a wide range of quality products and service through team work

# HAVELLS CONNECTED LIGHTING SOLUTION





## Smart Compatible Luminaires

- Smart Offices
- Smart Industrial Lighting
- Smart Cities





## Functionality

- Dimming
- Light Tuning
- Group Control
- Individual Light Controls



## Protocols & Networks

- Wired & Wireless Controls
- CCMS
- Router
- Gateways.




## Applications

- Dash Board
- Cloud CAPEX
- Cloud OPEX
- Integration with ICCC platform



## Services

- Data & Analytics
- Maintenance (AMC)
- Warranty





# SMART INDOOR LIGHTING SOLUTION

## Technology Platform:


- Occupancy sensor based control
- Wired based control – DALI System
- Wireless control – RF System

## Functions:

- Human Centric Lighting – Circadian rhythm/mood lighting
- Soft ON – OFF / Dynamic Dimming / Dynamic & Preset CCT Change ( Soft Transition) Sleep Mode 10% at Neutral White
- Performance, visual activities and energy saving sustainability.
- Day Light Harvesting
- Logical Grouping to Separate Lighting policies for Meeting Room, Cabins and Sitting Area


## Accessibility:

- Web based dashboard
- Remote based control
- In-Premise as well as Cloud Based Control




# SMART OUTDOOR LIGHTING SOLUTION


## Individual light Control, Monitoring & Dimming



## Group Control & Group Dimming



## Group Control



# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



### Indoor Architectural LED Luminaires

Impressions Range 14-21



### Indoor Commercial LED Luminaires

Panel Lighting	24-32
PIR Sensor	32-32
Downlight	33-49
Batten	50-58
LED Strips.	59-59





# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



### Industrial LED Luminaires

Highbay Lighting / Well Glass / Bulk Head	60-63
Weather Proof / Clean Room Lights	64-65




### Outdoor LED Luminaires

Street Lights	66-70
Canopy Fixture	71-71
Flood Lights	72-74
Landscape Lights	75-83
Solar Landscape Light	84-85
Colorscape Lights	86-89
Solar Street Lights	90-91



# PRODUCT CODE




## EXAMPLES:

PRODUCT NAME	TYPE	MOUNTING	WATTAGE	LED	CCT
<b>BAYBRITESAUCERHBP200WLED757WBTOLTG</b>					
BAYBRITESAUCER	HB	P	200 W	LED	757 K
<b>ENDURAPEARLSL15WLED757SASYTOPC</b>					
ENDURAPEARL	SL	-	15 W	LED	757 K
<b>VENUSNEOHE2X2PLR18-42WLED857MOD</b>					
VENUSNEOHE2X2	PL	R	34 W	LED	857 K



# NOMENCLATURE



DRIVER	BEAM	DRIVER COMPARTMENT	TYPE OF DIFFUSER	FINISH
-	WB	TO	LTG	-
S	ASY	TO	PC	-
S	-	-	-	-





# Indoor Architectural LED Luminaires


Impressions Range by Havells offers an array of ambient and task lighting options that encourage creative freedom and also facilitates a comfortable work environment. Choose from a variety of suspended and floor standing office luminaires offering- ultimate glare comfort measuring UGR as low as 6, special micro reflector optics to meet LEED and WELL building standards, on board occupancy sensor/ photo sensor/ dimming control, separate control of direct and indirect light thus offering a perfect combo of task and ambient lighting, compatibility with DALI/ 0-10V/ POE/ wireless standards, color tunability improving circadian rhythm and breathtaking aesthetics. It's a comprehensive lighting solution with options that complement your office interiors and create an ambience that spells increased productivity and happiness.

## MIRAGE PS D LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 100 lm/W, Mirage PS D is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MIRAGESDLP15WLED840SGRY	9405	23333.00	8 N
MIRAGESDLP15WLED857SGRY	9405	23333.00	8 N
MIRAGESDLP25WLED840SGRY	9405	24167.00	8 N
MIRAGESDLP25WLED857SGRY	9405	24167.00	8 N
MIRAGESDLP30WLED840SGRY	9405	25000.00	8 N
MIRAGESDLP30WLED857SGRY	9405	25000.00	8 N
MIRAGESDLP40WLED840SGRY	9405	25667.00	8 N
MIRAGESDLP40WLED857SGRY	9405	25667.00	8 N

Fixture size: (LxWxH) in (1175x38x66) mm




## MIRAGE PS DI LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 110 lm/W, Mirage PS DI is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MIRAGESDILP25WLED840SGRY	9405	26667.00	8 N
MIRAGESDILP25WLED857SGRY	9405	26667.00	8 N
MIRAGESDILP30WLED840SGRY	9405	27667.00	8 N
MIRAGESDILP30WLED857SGRY	9405	27667.00	8 N
MIRAGESDILP40WLED840SGRY	9405	28333.00	8 N
MIRAGESDILP40WLED857SGRY	9405	28333.00	8 N

Fixture size: (LxWxH) in (1175x38x66) mm



## MIRAGE F LED

Mirage F is a freestanding luminaire designed to suit to your individual requirements at the workplace. It features a choice of freestanding or table clamped unit with near to invisible light source and clean-cut aesthetics. This product features special micro reflector optics with minimalistic and highly efficient design meeting the requirements of uniform illumination of individual work planes/ cabins. Mirage F also features specially developed touch control panel for individual on/off, dimming and color tuning thus making 'Human Centric Lighting' accessible to all users with efficacy up to 110 lm/W. Mirage F is a great choice for private offices, high-end cabins and individual workstations.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MIRAGEDILFS80WLED80CGRY	9405	150000.00	1 N

Fixture size: (WxH) in (1056x1950) mm



# Indoor Architectural LED Luminaires




## DESTELLO GENERATION 2 SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250LP/S12WLED840SWH565	9405	6000.00	4 N
DESTG250LP/S12WLED857SWH565	9405	6000.00	4 N
DESTG250LP/S25WLED840SWH1130	9405	8667.00	4 N
DESTG250LP/S25WLED857SWH1130	9405	8667.00	4 N
DESTG250LP/S36WLED840SWH1130	9405	9667.00	4 N
DESTG250LP/S36WLED857SWH1130	9405	9667.00	4 N
DESTG250LP/S50WLED840SWH2260	9405	17333.00	4 N
DESTG250LP/S50WLED857SWH2260	9405	17333.00	4 N
DESTG250LP/SENDCAPBLKX2	9405	300.00	25 N
DESTG250LP/SENDCAPOWHX2	9405	300.00	25 N
JKITDESTG250P/S	9405	333.00	25 N
3COREMAINSCABLE1.5MTRWH	9405	333.00	50 N

Fixture size: (LxWxH) in (573x57x85) mm (for 12 W), (1137x57x85) mm (for 25 W, 36 W), (2265x57x85) mm (for 50 W). Joining kit and Mains cable to be ordered separately. End Cap also need to be ordered separately.



## DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250LR12WLED840SWH565	9405	6000.00	4 N
DESTG250LR12WLED857SWH565	9405	6000.00	4 N
DESTG250LR25WLED840SWH1130	9405	8667.00	4 N
DESTG250LR25WLED857SWH1130	9405	8667.00	4 N
DESTG250LR36WLED840SWH1130	9405	9667.00	4 N
DESTG250LR36WLED857SWH1130	9405	9667.00	4 N
DESTG250LR50WLED840SWH2260	9405	17333.00	4 N
DESTG250LR50WLED857SWH2260	9405	17333.00	4 N
DESTG250LP/SENDCAPBLKX2	9405	300.00	25 N
DESTG250LP/SENDCAPOWHX2	9405	300.00	25 N
JKITDESTG250REC	9405	333.00	50 N

Fixture size: (LxWxH) in (569x67x40) mm (for 12 W), (1133x67x40) mm (for 25 W, 36 W), (2263x67x40) mm (for 50 W). Joining kit and Mains cable to be ordered separately.




## DESTELLO SUSPENDED DIRECT-INDIRECT

Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The aluminum extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTELLODILP36WLED840SPMMAWH	9405	16333.00	4 N
DESTELLODILP36WLED857SPMMAWH	9405	16333.00	4 N
3COREMAINSCABLE1.5MTRWH	9405	333.00	50 N
JOININGKITFORDESTELLO50P/S/DI	9405	333.00	25 N

Fixture size: (LxWxH) in (1136x54x74) mm  
Joining kit and Mains cable to be ordered separately





## DESTELLO RECESSED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250YR36WLED840SWH577	9405	On Request	2 N
DESTG250YR36WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1033x580x40) mm



## DESTELLO SUSPENDED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250YP/S36WLED840SWH577	9405	On Request	2 N
DESTG250YP/S36WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1033x580x85) mm



## DESTELLO RECESSED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG25090DR25WLED840SWH577	9405	On Request	4 N
DESTG25090DR25WLED857SWH577	9405	On Request	4 N

Fixture size: (LxWxH) in (588x586x40) mm



## DESTELLO SUSPENDED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG25090DP/S25WLED840SWH577	9405	On Request	4 N
DESTG25090DP/S25WLED857SWH577	9405	On Request	4 N

Fixture size: (LxWxH) in (586x586x85) mm




## DESTELLO RECESSED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250XR48WLED840SWH577	9405	On Request	2 N
DESTG250XR48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x625x40) mm



# Indoor Architectural LED Luminaires




## DESTELLO SUSPENDED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250XP/S48WLED840SWH577	9405	On Request	2 N
DESTG250XP/S48 WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x625x85) mm



## DESTELLO RECESSED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250+R48WLED840SWH577	9405	On Request	2 N
DESTG250+R48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x1040x40) mm




## DESTELLO SUSPENDED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250+P/S48WLED840SWH577	9405	On Request	2 N
DESTG250+P/S48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x1040x85) mm




## ILLUMINO

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ILLUMINO50LP/S12WLED830SWH566	9405	5998.00	8 N
ILLUMINO50LP/S12WLED840SWH566	9405	5998.00	8 N
ILLUMINO50LP/S12WLED857SWH566	9405	5998.00	8 N
ILLUMINO50LP/S22WLED830SWH1130	9405	8667.00	8 N
ILLUMINO50LP/S22WLED840SWH1130	9405	8667.00	8 N
ILLUMINO50LP/S22WLED857SWH1130	9405	8667.00	8 N
ILLUMINO50LP/S34WLED830SWH1694	9405	14000.00	8 N
ILLUMINO50LP/S34WLED840SWH1694	9405	14000.00	8 N
ILLUMINO50LP/S34WLED857SWH1694	9405	14000.00	8 N
ILLUMINO50LP/S45WLED830SWH2258	9405	16667.00	8 N
ILLUMINO50LP/S45WLED840SWH2258	9405	16667.00	8 N
ILLUMINO50LP/S45WLED857SWH2258	9405	16667.00	8 N

Fixture size: (LxWxH) in (1175x38x66) mm




## LUMENTO

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light are installed in a standalone manner and there is no provision for continuous mounting arrangement.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMENTO50LP/S25WLED830SWH1137	9405	7167.00	2 N
LUMENTO50LP/S25WLED840SWH1137	9405	7167.00	2 N
LUMENTO50LP/S25WLED857SWH1137	9405	7167.00	2 N
LUMENTO50LP/S50WLED830SWH2265	9405	14167.00	2 N
LUMENTO50LP/S50WLED840SWH2265	9405	14167.00	2 N
LUMENTO50LP/S50WLED857SWH2265	9405	14167.00	2 N

Fixture size: (LxWxH) in (1195x146x50) mm




## SABER

SABER LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (suspension system included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SABERLP36WLED840SPMMAWH	9405	16333.00	2 N
SABERLP36WLED857SPMMAWH	9405	16333.00	2 N
JOININGKITFORSABER	9405	400.00	25 N
3COREMAINSCABLE1.5MTRWH	9405	333.00	50 N

Fixture size: (LxWxH) in (1271x163x46) mm. Joining kit and Mains cable to be ordered separately.



## LICON

LICON LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (secondary suspension kit included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LICONLP36WLED840SPCGRY	9405	12667.00	1 N
LICONLP36WLED857SPCGRY	9405	12667.00	1 N
LICONSUSKITWITHMAINSCABLE	9405	567.00	

Fixture size: (LxWxH) in (1206x170x40) mm  
Primary suspension kit with mains cable to be ordered separately



## TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TZLR25WLED840SPSWH1195	9405	9333.00	2 N
TZLR25WLED857SPSWH1195	9405	9333.00	2 N
TZLR36WLED840SPSWH1195	9405	9500.00	2 N
TZLR36WLED857SPSWH1195	9405	9500.00	2 N
TZLR48WLED840SPSWH1195	9405	10000.00	2 N
TZLR48WLED857SPSWH1195	9405	10000.00	2 N

Fixture size: (LxWxH) in (1195x146x50) mm





# Indoor Architectural LED Luminaires



## WINGO

Specially designed direct-indirect transparent optical system which provides sufficient light levels on work plane and at the same time illuminating the ceiling with a harmonious and pleasant appearance.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
WINGOLP40WLED830SPMMABLK	9405	21667.00	1 N
WINGOLP40WLED840SPMMABLK	9405	21667.00	1 N
WINGOLP40WLED857SPMMABLK	9405	21667.00	1 N

Fixture size: (LxWxH) in (1112x280x48) mm



## CONSTA LED

Suspended architectural LED luminaire provides soft-light and glare free symmetrical illumination (with continuous mounting end cap).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONSTA1144LP20WLED830SPCWH	9405	5833.00	4 N
CONSTA1144LP20WLED840SPCWH	9405	5833.00	4 N
CONSTA1144LP20WLED857SPCWH	9405	5833.00	4 N
CONSTA1144LP40WLED830SPCWH	9405	6333.00	4 N
CONSTA1144LP40WLED840SPCWH	9405	6333.00	4 N
CONSTA1144LP40WLED857SPCWH	9405	6333.00	4 N
CONSTA544LP20WLED830SPCWH	9405	4333.00	4 N
CONSTA544LP20WLED840SPCWH	9405	4333.00	4 N
CONSTA544LP20WLED857SPCWH	9405	4333.00	4 N

Fixture size: (LxWxH) in (1200x106x61) mm (for 20 W, 40 W), (602x106x61) mm (for 20 W)



## TORUS

In a sector commanded by rectangular luminaires, this circular luminaire impresses with an effective height of 70 mm and produces diffused planar and low-glare light. The annular shape further gives the luminaire a sturdy appearance marking entreating attraction.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TORUS600RDP/S25WLED830SPMMAWH	9405	21667.00	2 N
TORUS600RDP/S25WLED840SPMMAWH	9405	21667.00	2 N
TORUS600RDP/S25WLED857SPMMAWH	9405	21667.00	2 N
MONDOMOUNTINGKITP	9405	833.00	25 N
MONDOMOUNTINGKITS	9405	833.00	25 N

Fixture size: Dia 600 mm, Height 78 mm. Mounting Kits to be ordered separately



## MONDO RECESSED

Energy saving, environmental friendly, long life, corrosion resistant, decorative recessed luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO 400 REC 25W LED 830 WHT	9405	11667.00	4 N
MONDO 400 REC 25W LED 840 WHT	9405	11667.00	4 N
MONDO 400 REC 25W LED 857 WHT	9405	11667.00	4 N
MONDO 600 REC 36W LED 830 WHT	9405	16667.00	6 N
MONDO 600 REC 36W LED 840 WHT	9405	16667.00	6 N
MONDO 600 REC 36W LED 857 WHT	9405	16667.00	6 N

Fixture size: Dia 416 mm, Height 78 mm for 25 W, Dia 616 mm, Height 78 mm for 36 W



## MONDO

Energy saving, environmental friendly, long life, decorative, corrosion resistant, surface-suspended luminaires with annular shape and opal diffuser contributing towards impudent identity and delivers an aesthetically appealing.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO400RDP/S25WLED830SPSWH	9405	11667.00	4 N
MONDO400RDP/S25WLED840SPSWH	9405	11667.00	4 N
MONDO400RDP/S25WLED857SPSWH	9405	11667.00	4 N
MONDO600RDP/S36WLED830SPSWH	9405	16667.00	6 N
MONDO600RDP/S36WLED840SPSWH	9405	16667.00	6 N
MONDO600RDP/S36WLED857SPSWH	9405	16667.00	6 N
MONDOMOUNTINGKITP	9405	833.00	25 N
MONDOMOUNTINGKITS	9405	833.00	25 N
MONDO SUSPENSION KIT	9405	000.00	25 N

Fixture size: Dia 400 mm, Height 70 mm for 25 W, Dia 600 mm, Height 70 mm for 36 W  
Mounting Kits to be ordered separately



## MONDO HEXA

Energy saving, environmental friendly, long life, corrosion resistant, decorative hexagon shaped, surface/suspended luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO600HEXP/S36WLED830SPSWH	9405	21667.00	2 N
MONDO600HEXP/S36WLED840SPSWH	9405	21667.00	2 N
MONDO600HEXP/S36WLED857SPSWH	9405	21667.00	2 N

Fixture size: (LxWxH) in (600x520x81) mm









# Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### QUADRO 2X2

A uniquely designed decorative PMMA diffuser 2x2 Luminaire that unites a creative design with state-of-the-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
QUADRO2X2PLR34WLED830SG2	9405	11000.00	2 N
QUADRO2X2PLR34WLED840SG2	9405	11000.00	2 N
QUADRO2X2PLR34WLED857SG2	9405	11000.00	2 N
QUADRO2X2PLR36WLED830SG2	9405	11000.00	2 N
QUADRO2X2PLR36WLED840SG2	9405	11000.00	2 N
QUADRO2X2PLR36WLED857SG2	9405	11000.00	2 N

Fixture size: (LxWxH) in (595x595x88) mm.



### PETAL 2X2

A precisely designed decorative PMMA thermoformed diffuser 2x2 luminaire inspired by elements of nature that unites a creative design with state-of-the-art LED technology. The concept of petal shaped decorative diffusers that not only enhances the aesthetics of the interiors but also offers perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PETAL2X2PLR34WLED830SG2	9405	11000.00	2 N
PETAL2X2PLR34WLED840SG2	9405	11000.00	2 N
PETAL2X2PLR34WLED857SG2	9405	11000.00	2 N
PETAL2X2PLR36WLED830SG2	9405	11000.00	2 N
PETAL2X2PLR36WLED840SG2	9405	11000.00	2 N
PETAL2X2PLR36WLED857SG2	9405	11000.00	2 N

Fixture size: (LxWxH) in (595x595x78) mm.



### FLAT 2X2

A precisely designed decorative PMMA moulded diffuser 2x2 luminaire that unites a creative design with state-of-the-art LED technology. The concept of drop-down flat diffusers offers better volumetric illumination helping in achieving LG7 guidelines. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DROPDOWNFLAT2X2PLR34WLED830SG2	9405	11000.00	2 N
DROPDOWNFLAT2X2PLR34WLED840SG2	9405	11000.00	2 N
DROPDOWNFLAT2X2PLR34WLED857SG2	9405	11000.00	2 N
DROPDOWNFLAT2X2PLR36WLED830SG2	9405	11000.00	2 N
DROPDOWNFLAT2X2PLR36WLED840SG2	9405	11000.00	2 N
DROPDOWNFLAT2X2PLR36WLED857SG2	9405	11000.00	2 N

Fixture size: (LxWxH) in (595x595x70) mm.





# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### CONTOUR 2X2

A premium and exclusive 2x2 luminaire design having an exquisite combination of precisely designed contoured decorative PMMA diffuser and metallic finish central element that unites a creative design with state-of-the-art LED technology. The concept of contoured drop-down diffuser offers better volumetric illumination helping in achieving LG7 guidelines. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONTOUR2X2PLR34WLED830SG2	9405	11000.00	2 N
CONTOUR 2X2PLR34WLED840SG2	9405	11000.00	2 N
CONTOUR 2X2PLR34WLED857SG2	9405	11000.00	2 N
CONTOUR 2X2PLR36WLED830SG2	9405	11000.00	2 N
CONTOUR 2X2PLR36WLED840SG2	9405	11000.00	2 N
CONTOUR 2X2PLR36WLED857SG2	9405	11000.00	2 N

Fixture size: (LxWxH) in (595x595x88) mm.



### OLIVIA 2X2

A unique luminaire design that has a stylish combination of performance and power economy. Highly efficient deep inserted 16x mini lens modules with Light enhancing technology which ensures high efficacy and excellent visual comfort offering UGR<16. Olivia is available in sleekest 18mm backlit design that can easily accommodate in low-depth ceilings. Options to choose from CRI>80 /CRI>90 and Flicker-free drivers to meet requirements of wide range of users.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
<b>Luminaire MOD</b>			
OLIVIA2X2PLR18-36WLED840UGR16MOD	9405	11000.00	4 N
OLIVIA2X2PLR18-36WLED857UGR16MOD	9405	11000.00	4 N
OLIVIA2X2PLR18-36WLED865UGR16MOD	9405	11000.00	4 N

**DRIVER: - THD <10%, CISPR 15 compliant Driver**

LED DRIVER VEO 18W 36V 435mA	9405	1300.00	4 N
LED DRIVER VEO 24W 36V 600mA	9405	1350.00	4 N
LED DRIVER VEO 28W 36V 700mA	9405	1400.00	4 N
LED DRIVER VEO 32W 36V 800mA	9405	1500.00	4 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	4 N

**THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS**

LED DRIVER CC 24W (30-40V) 550mA	9405	2200.00	2 N
LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N

Fixture size: (LxWxH) in (595x595x18.8) mm.



### VENUS NEO HE MOD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2PLR18-42WLED830MOD	9405	6000.00	2 N
VENUSNEOHE2X2PLR18-42WLED840MOD	9405	6000.00	2 N
VENUSNEOHE2X2PLR18-42WLED857MOD	9405	6000.00	2 N
VENUSNEOHE2X2PLR18-42WLED865MOD	9405	6000.00	2 N

Fixture size: (LxWxH) in (595x595x65) mm.



### VENUS NEO HE MOD PULL CORD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling with a unique feature of manual individual control of luminaires via Pull cord. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R18-42WLED830MODPULLCORD	9405	6500.00	4 N
VENUSNEOHE2X2R18-42WLED840MODPULLCORD	9405	6500.00	4 N
VENUSNEOHE2X2R18-42WLED857MODPULLCORD	9405	6500.00	4 N
VENUSNEOHE2X2R18-42WLED865MODPULLCORD	9405	6500.00	4 N

Fixture size: (LxWxH) in (595x595x65) mm.



### VENUS NEO HE MOD UGR<19

Ultra-modern designed Modular High Efficacy LED luminaire with specialized High transmittance duel/multi-layer prismatic optics for glare free symmetric light distribution offering excellent visual comfort with UGR levels of less than 19. Luminaires suitable for Armstrong/Grid ceiling and most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R18-42WLED830MODUGR19	9405	7000.00	4 N
VENUSNEOHE2X2R18-42WLED840MODUGR19	9405	7000.00	4 N
VENUSNEOHE2X2R18-42WLED857MODUGR19	9405	7000.00	4 N
VENUSNEOHE2X2R18-42WLED865MODUGR19	9405	7000.00	4 N



### DRIVERS FOR VENUS NEO HE FAMILY

#### Standard THD <10% Driver

LEDDRIVER36V18WS	9405	1250.00	2 N
LEDDRIVER36V24WS	9405	1250.00	2 N
LEDDRIVER36V28WS	9405	1250.00	2 N
LEDDRIVER36V34WS	9405	1300.00	2 N
LEDDRIVER36V36WS	9405	1350.00	2 N
LED DRIVER 1000MALD36I1000PED(M)	9405	1600.00	2 N

#### THD <10%, CISPR 15 compliant Driver

LED DRIVER VEO 18W 36V 435mA	9405	1300	2 N
LED DRIVER VEO 24W 36V 600mA	9405	1350	2 N
LED DRIVER VEO 28W 36V 700mA	9405	1400	2 N
LED DRIVER VEO 32W 36V 800mA	9405	1500	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550	2 N
LED DRIVER VEO 40W 36V 950mA	9405	1550	2 N

#### THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS

LED DRIVER CC 24W (30-40V) 550mA	9405	2200.00	2 N
LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N

#### DALI Drivers (Wired Smart)

DALIDRIVERL13-50V/500-1500MA10116443	9405	6000.00	2 N
DRACO DALI 850 Digital Dimmable (DT-6)	9405	6667.00	2 N
DRACO DALI 1000 Digital Dimmable (DT-6)	9405	7000.00	2 N

#### LoRA Drivers (Wireless RF Smart)

LED DRIVER 36W DIGITAL DRIVER GEN-2 1A	9405	12000.00	2 N
--	------	----------	-----

Fixture size: (LxWxH) in (595x595x65) mm.

# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### VENUS NEO HE SMART

Intelligent, modular High Efficacy LED 2x2 luminaire with integrated PIR Sensor which offers autonomous operation and provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. THD<10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R34WLED830PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R34WLED840PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R34WLED857PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R36WLED830PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R36WLED840PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R36WLED857PIRSENSOR	9405	8500.00	2 N

Fixture size: (LxWxH) in (595x595x65) mm.



### VENUS NEO TUNEABLE WHITE

Advanced technology Luminaires that offer Human-centric property, thus making public spaces more human and natural. This range provides improved productivity, better moods and overall happier workplaces. These luminaires offer a visually comfortable environment with optional pre-set colour temperatures or manual adjustments to any CCT in the Productivity Range 3000K-6500K along with Dimming Range 10%-100%. Controlling of the luminaire is possible by wired controls as well as wirelessly with App based controls (Bluetooth connectivity). This range offers unprecedented control over your interior environment.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOTW2X2PLR42WLEDTWMOD	9405	7500.00	2 N
DRACO850RFCOMP2CH	9405	7800.00	2 N

#### DRIVERS AND ACCESSORIES:-

L.SPARE LED DRIVER DRACO 0950 RF TUNABLE	9405	7800.00	2 N
DRACO1000RFCOMP2CH	9405	7800.00	2 N
RFREMOETETWCONTROL	9405	1800.00	2 N

Fixture size: (LxWxH) in (595x595x76) mm.



### VENUS NEO POS

A cost effective yet high specification luminaire range which suites requirements of everyone. This Ultra - modern High Specifications recess mounting 2x2 luminaire with high performance LEDs is made of sheet steel housing and suitable for mounting in Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEO2X2PLR36WLED830POS	9405	6800.00	6 N
VENUSNEO2X2PLR36WLED840POS	9405	6800.00	6 N
VENUSNEO2X2PLR36WLED857POS	9405	6800.00	6 N
VENUSNEO2X2PLR36WLED865POS	9405	6800.00	6 N

Fixture size: (LxWxH) in (595x595x35) mm.

# 30 W available on request.





# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### VENUS NEO PO/ST

Ultra modern Slim recess mounting luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling (35mm height).

ST Denotes : Steel Frame. PO Denotes : Special Unibody Jointless Polymeric Frame.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEO2X2PLR36WLED830PO	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED840PO	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED865PO	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED857POTR	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED830ST	9405	6400.00	6 N
VENUSNEO2X2PLR36WLED840ST	9405	6400.00	6 N
VENUSNEO2X2PLR36WLED865ST	9405	6400.00	6 N
VENUSNEO2X2PLR36WLED857STTR	9405	6400.00	6 N

Fixture size: (LxWxH) in (595x595x35) mm



### VENUS NEO G2

A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEO2X2PLR36WLED830G2	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED840G2	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED857G2	9405	6300.00	6 N
VENUSNEO2X2PLR36WLED865G2	9405	6300.00	6 N

POP mounting spring clip kit (set of 4 spring clips)

VENUSNEOG2POPMTGKIT	9405	250.00	Set of 4
---------------------	------	--------	----------

Suspension mounting clip kit (set of 4 suspension clips)

VENUSNEOG2SUSPMTGKIT	9405	130.00	Set of 4
----------------------	------	--------	----------

Fixture size: (LxWxH) in (595x595x35) mm



### VENUS TREND


A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling. Life class L70: 35,000 Hrs

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSTREND2X2PLR36WLED857SWH	9405	6000.00	6 N
VENUSTREND2X2PLR36WLED865SWH	9405	6000.00	6 N

POP mounting spring clip kit (set of 4 spring clips)

VENUSTRENDDPOPMTGKIT	9405	250.00	Set of 4
----------------------	------	--------	----------

Fixture size: (LxWxH) in (595x595x38) mm



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### PLANO TAPS/ TAPS POP

A versatile 2x2 recess mounted luminaires which suites various ceiling types. 35mm depth with tapered housing makes is most flexible to install in low clearance ceiling. Unique Dual Optics - Primary (Individual PMMA Lens on LEDs) & Secondary (Opal diffuser) to ensure homogeneous uniform lighting distribution and unmatched visual comfort.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANO2X2PLR36WLED830TAPS	9405	7500	6 N
PLANO2X2PLR36WLED840TAPS	9405	7500	6 N
PLANO2X2PLR36WLED857TAPS	9405	7500	6 N
PLANO2X2PLR36WLED865TAPS	9405	7500	6 N
PLANO2X2PLR42WLED857SPOP	9405	8000	6 N
PLANO2X2PLR36WLED830TAPSPPOP	9405	7800	6 N
PLANO2X2PLR36WLED840TAPSPPOP	9405	7800	6 N
PLANO2X2PLR36WLED857TAPSPPOP	9405	7800	6 N
PLANO2X2PLR36WLED865TAPSPPOP	9405	7800	6 N

Fixture size: (LxWxH) in (595x595x35) mm

# 30 W available on request.



### PLANO TAPS UGR19

A versatile 2x2 recess mounted luminaires which suites various ceiling types. 35mm depth with tapered housing makes is most flexible to install in low clearance ceiling with high performance. Multi-layer Optics - Primary (Individual Lens on LEDs) & Secondary (Prismatic & Opal Diffuser) to ensure homogeneous uniform lighting distribution with UGR<19 compliance.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANO2X2PLR36WLED830TAPSUGR19	9405	9000.00	6 N
PLANO2X2PLR36WLED840TAPSUGR19	9405	9000.00	6 N
PLANO2X2PLR36WLED857TAPSUGR19	9405	9000.00	6 N
PLANO2X2PLR36WLED865TAPSUGR19	9405	9000.00	6 N

Fixture size: (LxWxH) in (595x595x35) mm

# 30 W available on request.



### PLANO G2/ G2 POP (IP40)

High performance 2x2 recess mounted luminaires which suites various ceiling types. This luminaire is having 65mm depth housing with IP40 protection which makes it most reliable luminaire in this class.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANO2X2PLR30WLED840SG2	9405	7600.00	4 N
PLANO2X2PLR30WLED857SG2	9405	7600.00	4 N
PLANO2X2PLR30WLED865SG2	9405	7600.00	4 N
PLANO2X2PLR36WLED840SG2	9405	7800.00	4 N
PLANO2X2PLR36WLED857SG2	9405	7800.00	4 N
PLANO2X2PLR36WLED865SG2	9405	7800.00	4 N
PLANO2X2PLR42WLED840SG2	9405	8500.00	4 N
PLANO2X2PLR42WLED857SG2	9405	8500.00	4 N
PLANO2X2PLR42WLED865SG2	9405	8500.00	4 N
PLANO2X2PLR60WLED857SG2	9405	12000.00	4 N
PLANO2X2PLR36WLED857SG2POP	9405	8000.00	4 N
PLANO2X2PLR36WLED865SG2POP	9405	8000.00	4 N

Fixture size: (LxWxH) in (595x595x35) mm



### PLANO G2 SURFACE

High performance 2x2 surface mounted luminaires which provides soft-light and glare free symmetrical illumination.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANOSUR2X2PLS30WLED840G2S	9405	7800.00	4 N
PLANOSUR2X2PLS30WLED857G2S	9405	7800.00	4 N
PLANOSUR2X2PLS30WLED865G2S	9405	7800.00	4 N
PLANOSUR2X2PLS36WLED840G2S	9405	7800.00	4 N
PLANOSUR2X2PLS36WLED857G2S	9405	7800.00	4 N
PLANOSUR2X2PLS36WLED865G2S	9405	7800.00	4 N

Fixture size: (LxWxH) in (560x560x45) mm



### VENUS NEO HE 4X1

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE4X1PLR28WLED840S	9405	7600.00	2 N
VENUSNEOHE4X1PLR28LED857	9405	7600.00	2 N
VENUSNEOHE4X1PLR36WLED840S	9405	7600.00	2 N
VENUSNEOHE4X1PLR36WLED857	9405	7600.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm



### VENUS NEO HE 4X1 MOD

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
<b>Luminaire</b>			
VENUSNEOHE4X1PLR28-36WLED840MOD	9405	7600.00	2 N
VENUSNEOHE4X1PLR28-36WLED857MOD	9405	7600.00	2 N
<b>Standard THD &lt;10% Driver</b>			
LEDDRIVER36V28WS	9405	1250.00	2 N
LEDDRIVER36V36WS	9405	1350.00	2 N
<b>THD &lt;10%, CISPR 15 compliant Driver</b>			
LED DRIVER VEO 28W 36V 700mA	9405	1400.00	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	2 N
<b>THD &lt;5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS</b>			
LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N
<b>DALI Drivers (Wired Smart)</b>			
DALIDRIVERL13-50V/500-1500MA10116443	9405	6000.00	2 N
DRACO DALI 850 Digital Dimmable (DT-6)	9405	6667.00	2 N
DRACO DALI 1000 Digital Dimmable (DT-6)	9405	7000.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm





# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### VENUS MOD 4X1 UGR<19

A versatile Ultra-modern 4X1 recess mounted module suitable to integrate with various type of driver based on requirement, with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling with complete flexibility.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE4X1PLR18-42WLED830MODUGR<19	9405	6000.00	2 N
VENUSNEOHE4X1PLR18-42WLED840MODUGR<19	9405	6000.00	2 N
VENUSNEOHE4X1PLR18-42WLED857MODUGR<19	9405	6000.00	2 N
VENUSNEOHE4X1PLR18-42WLED865MODUGR<19	9405	6000.00	2 N

#### DRIVERS AND ACCESSORIES:-

##### Standard THD <10% Driver

PLANO2X2PLR30WLED830TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED840TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED857TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED865TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED857TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED865TAPS	9405	7300.00	6 N

##### THD <10%, CISPR 15 compliant Driver

LED DRIVER VEO 18W 36V 435mA	9405	1300.00	2 N
LED DRIVER VEO 24W 36V 600mA	9405	1350.00	2 N
LED DRIVER VEO 28W 36V 700mA	9405	1400.00	2 N
LED DRIVER VEO 32W 36V 800mA	9405	1500.00	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	2 N
LED DRIVER VEO 40W 36V 950mA	9405	1550.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm



### PLANO SURFACE 4X1 G2

Aesthetically designed 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANOSUR4X1PLS28WLED840G2S	9405	8000.00	2 N
PLANOSUR4X1PLS28WLED857G2S	9405	8000.00	2 N
PLANOSUR4X1PLS36WLED840G2S	9405	8000.00	2 N
PLANOSUR4X1PLS36WLED857G2S	9405	8000.00	2 N

Fixture size: (LxWxH) in (1120x280x65) mm



### PLUTO 2X1

A versatile 2x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO2X1PLR20WLED840	9405	6000.00	2 N
PLUTO2X1PLR20WLED857	9405	6000.00	2 N
PLUTO2X1PLR28WLED840	9405	6000.00	2 N
PLUTO2X1PLR28WLED865	9405	6000.00	2 N

Fixture size: (LxWxH) in (595x295x70) mm



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### PLUTO G2 1X1

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO1X1PLR15WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR15WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLR15WLED865SG2	9405	6000.00	1 N
PLUTO1X1PLR18WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR18WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLR18WLED865SG2	9405	6000.00	1 N
PLUTO1X1PLR24WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR24WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLR24WLED865SG2	9405	6000.00	1 N

Fixture size: (LxWxH) in (560x560x45) mm



### PLUTO G2 1X1 SURFACE

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO1X1PLS15WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS15WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLS15WLED865SG2	9405	6000.00	1 N
PLUTO1X1PLS18WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS18WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLS18WLED865SG2	9405	6000.00	1 N
PLUTO1X1PLS24WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS24WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLS24WLED865SG2	9405	6000.00	1 N

Fixture size: (LxWxH) in (560x560x45) mm



### PIR SENSOR

Smart PIR Occupancy Sensors. IP20

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
L.SPARE PIR SENSOR CEILING MOUNT RECST44	9405	3500.00	24 N



Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
L.SPARE SURF MOUNT ATTACH PIR SENSORST44	9405	350.00	24 N



ACCESSORY

# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### ALINA COB DL

Alina COB downlights comes with a unique blend of Aesthetics and performance. This Deep Recessed COB downlight not only offer excellent energy saving by offering industry leading efficacies but also offer visual comfort to users with low UGR levels of <19

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ALINACOBHERDDLRSIL15W830SUGR19	9405	5500.00	12 N
ALINACOBHERDDLRSIL15W840SUGR19	9405	5500.00	12 N
ALINACOBHERDDLRSIL15W857SUGR19	9405	5500.00	12 N
ALINACOBHERDDLRSIL25W830SUGR19	9405	7500.00	6 N
ALINACOBHERDDLRSIL25W840SUGR19	9405	7500.00	6 N
ALINACOBHERDDLRSIL25W857SUGR19	9405	7500.00	6 N

Ceiling cutout: Ø 90 mm, height 60 mm for 15 W. Ø 125 mm, height 73 mm for 25 W



### ZIVA DEEP RECESSED

A versatile range of Downlights which offer best in class efficacy along with visual comfort. This All Aluminium construction Downlight comes in Deep Recessed version. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVARRDDL6WLED830S	9405	2400.00	12 N
ZIVARRDDL6WLED840S	9405	2400.00	12 N
ZIVARRDDL6WLED857S	9405	2400.00	12 N
ZIVARRDDL9WLED830S	9405	2800.00	12 N
ZIVARRDDL9WLED840S	9405	2800.00	12 N
ZIVARRDDL9WLED857S	9405	2800.00	12 N
ZIVARRDDL12WLED830S	9405	3400.00	12 N
ZIVARRDDL12WLED840S	9405	3400.00	12 N
ZIVARRDDL12WLED857S	9405	3400.00	12 N
ZIVARRDDL15WLED830S	9405	3700.00	12 N
ZIVARRDDL15WLED840S	9405	3700.00	12 N
ZIVARRDDL15WLED857S	9405	3700.00	12 N
ZIVARRDDL18WLED830S	9405	4000.00	12 N
ZIVARRDDL18WLED840S	9405	4000.00	12 N
ZIVARRDDL18WLED857S	9405	4000.00	12 N
ZIVARRDDL24WLED830S	9405	4200.00	6 N
ZIVARRDDL24WLED840S	9405	4200.00	6 N
ZIVARRDDL24WLED857S	9405	4200.00	6 N

Ceiling cutout: Ø 90 mm, height 45 mm for 6 W / 9 W . Ø 140 mm , height 45 mm for 12 W / 15 W / 18 W.Ø 176 mm , height 45 mm for 24 W.



### ZIVA FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVAFLRDDLR6WLED830S	9405	1800.00	12 N
ZIVAFLRDDLR6WLED840S	9405	1800.00	12 N
ZIVAFLRDDLR6WLED857S	9405	1800.00	12 N
ZIVAFLRDDLR9WLED830S	9405	2000.00	12 N
ZIVAFLRDDLR9WLED840S	9405	2000.00	12 N
ZIVAFLRDDLR9WLED857S	9405	2000.00	12 N
ZIVAFLRDDLR12WLED830S	9405	2400.00	12 N
ZIVAFLRDDLR12WLED840S	9405	2400.00	12 N
ZIVAFLRDDLR12WLED857S	9405	2400.00	12 N
ZIVAFLRDDLR15WLED830S	9405	2600.00	12 N
ZIVAFLRDDLR15WLED840S	9405	2600.00	12 N
ZIVAFLRDDLR15WLED857S	9405	2600.00	12 N
ZIVAFLRDDLR18WLED830S	9405	3000.00	12 N
ZIVAFLRDDLR18WLED840S	9405	3000.00	12 N
ZIVAFLRDDLR18WLED857S	9405	3000.00	12 N
ZIVAFLRDDLR24WLED830S	9405	3400.00	6 N
ZIVAFLRDDLR24WLED840S	9405	3400.00	6 N
ZIVAFLRDDLR24WLED857S	9405	3400.00	6 N

Ceiling cutout: Ø 90 mm, height 33 mm for 6 W / 9 W . Ø 140 mm , height 33 mm for 12 W / 15 W / 18 W. Ø 176 mm , height 33 mm for 24 W.



### ZIVA SURFACE

Ziva Surface is a high efficient Surface Downlight. The All-Aluminium construction of this Downlight allows better thermal performance ensuring long product life and better product aesthetics. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVASURRDDLR6WLED830S	9405	2800.00	12 N
ZIVASURRDDLR6WLED840S	9405	2800.00	12 N
ZIVASURRDDLR6WLED857S	9405	2800.00	12 N
ZIVASURRDDLR9WLED830S	9405	3200.00	12 N
ZIVASURRDDLR9WLED840S	9405	3200.00	12 N
ZIVASURRDDLR9WLED857S	9405	3200.00	12 N
ZIVASURRDDLR12WLED830S	9405	3800.00	12 N
ZIVASURRDDLR12WLED840S	9405	3800.00	12 N
ZIVASURRDDLR12WLED857S	9405	3800.00	12 N
ZIVASURRDDLR15WLED830S	9405	4100.00	12 N
ZIVASURRDDLR15WLED840S	9405	4100.00	12 N
ZIVASURRDDLR15WLED857S	9405	4100.00	12 N
ZIVASURRDDLR18WLED830S	9405	4400.00	12 N
ZIVASURRDDLR18WLED840S	9405	4400.00	12 N
ZIVASURRDDLR18WLED857S	9405	4400.00	12 N
ZIVASURRDDLR24WLED830S	9405	4800.00	6 N
ZIVASURRDDLR24WLED840S	9405	4800.00	6 N
ZIVASURRDDLR24WLED857S	9405	4800.00	6 N

Fixture size: Ø 115 mm, Height 62 mm for 6 W / 9 W. Ø 167 mm, Height 63 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 63 mm for 24 W.





# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### VIBE ROUND DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEDRRDDL12WLED830S	9405	2400.00	12 N
VIBEDRRDDL12WLED840S	9405	2400.00	12 N
VIBEDRRDDL12WLED857S	9405	2400.00	12 N
VIBEDRRDDL15WLED830S	9405	2700.00	12 N
VIBEDRRDDL15WLED840S	9405	2700.00	12 N
VIBEDRRDDL15WLED857S	9405	2700.00	12 N
VIBEDRRDDL18WLED830S	9405	3000.00	12 N
VIBEDRRDDL18WLED840S	9405	3000.00	12 N
VIBEDRRDDL18WLED857S	9405	3000.00	12 N
VIBEDRRDDL24WLED830S	9405	3500.00	12 N
VIBEDRRDDL24WLED840S	9405	3500.00	12 N
VIBEDRRDDL24WLED857S	9405	3500.00	12 N

Ceiling cutout: Ø 110 mm, height 50 mm for 12 W /15 W. Ø 145 mm, height 55 mm for 18 W. Ø 165 mm, height 55 mm for 24 W.



### VIBE SQUARE DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEDRSQDL12WLED830S	9405	2500	12N
VIBEDRSQDL12WLED840S	9405	2500	12N
VIBEDRSQDL12WLED857S	9405	2500	12N
VIBEDRSQDL15WLED830S	9405	2800	12N
VIBEDRSQDL15WLED840S	9405	2800	12N
VIBEDRSQDL15WLED857S	9405	2800	12N
VIBEDRSQDL18WLED830S	9405	3100	12N
VIBEDRSQDL18WLED840S	9405	3100	12N
VIBEDRSQDL18WLED857S	9405	3100	12N

Ceiling cutout: Ø 100 mm x100 mm, height 50 mm for 10 W / 12 W / 15 W. Ø 135 mm x135 mm, height 55 mm for 18 W / 24 W.



### VIBE FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBFLRDDLR6WLED830S	9405	1400.00	12 N
VIBFLRDDLR6WLED840S	9405	1400.00	12 N
VIBFLRDDLR6WLED857S	9405	1400.00	12 N
VIBFLRDDLR9WLED830S	9405	1500.00	12 N
VIBFLRDDLR9WLED840S	9405	1500.00	12 N
VIBFLRDDLR9WLED857S	9405	1500.00	12 N
VIBFLRDDLR12WLED830S	9405	1900.00	8 N
VIBFLRDDLR12WLED840S	9405	1900.00	8 N
VIBFLRDDLR12WLED857S	9405	1900.00	8 N
VIBFLRDDLR15WLED830S	9405	2100.00	8 N
VIBFLRDDLR15WLED840S	9405	2100.00	8 N
VIBFLRDDLR15WLED857S	9405	2100.00	8 N
VIBFLRDDLR18WLED830S	9405	2600.00	8 N
VIBFLRDDLR18WLED840S	9405	2600.00	8 N
VIBFLRDDLR18WLED857S	9405	2600.00	8 N
VIBFLRDDLR24WLED830S	9405	2800.00	6 N
VIBFLRDDLR24WLED840S	9405	2800.00	6 N
VIBFLRDDLR24WLED857S	9405	2800.00	6 N

Ceiling cutout: Ø 90 mm, height 60 mm for 6 W / 9 W. Ø 138 mm, height 60 mm for 12 W / 15 W / 18 W. Ø 175 mm, height 60 mm for 24 W.



### INTEGRA NEO SMART

A Smart range of Aesthetically designed low-depth Downlights with Aluminum housing and heat sink for better thermal performance. This range offer multiple options of connectivity and control.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEODLR42V400MALED840MOD	9405	1433.00	8 N
INTEGRANEODLR42V400MALED857MOD	9405	1433.00	8 N

**DRIVERS AND ACCESSORIES:-**

10W/12W/15W : IT DALI 40/220-240/1A0 NFC DIM OSRAM	9405	-	-
10W/12W/15W/18W/24W : DALI2DRIVER 6-52V/150-700mA IDCCCB28	9405	6000.00	1 N

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W. Ø 175 mm, height 90 mm for 18 W / 24 W.



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### INTEGRA NEO

A functional range of Aesthetically designed high performance Downlights with Aluminum housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEODLR10WLED830S	9405	1500.00	12 N
INTEGRANEODLR10WLED840S	9405	1500.00	12 N
INTEGRANEODLR10WLED857S	9405	1500.00	12 N
INTEGRANEODLR12WLED830S	9405	1867.00	8 N
INTEGRANEODLR12WLED840S	9405	1867.00	8 N
INTEGRANEODLR12WLED857S	9405	1500.00	8 N
INTEGRANEODLR15WLED830S	9405	2067.00	8 N
INTEGRANEODLR15WLED840S	9405	2067.00	8 N
INTEGRANEODLR15WLED857S	9405	2067.00	8 N
INTEGRANEODLR15WLED865S	9405	2067.00	8 N
INTEGRANEODLR18WLED830S	9405	2567.00	6 N
INTEGRANEODLR18WLED840S	9405	2567.00	6 N
INTEGRANEODLR18WLED857S	9405	2567.00	6 N
INTEGRANEODLR18WLED865S	9405	2567.00	6 N
INTEGRANEODLR24WLED830S	9405	2733.00	6 N
INTEGRANEODLR24WLED840S	9405	2733.00	6 N
INTEGRANEODLR24WLED857S	9405	2733.00	6 N
INTEGRANEODLR24WLED865S	9405	2733.00	6 N

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W. Ø 175 mm, height 90 mm for 18 W / 24 W



### INTEGRA NEO SURFACE

A decorative range of Aesthetically designed surface mounted Downlights with Aluminum housing and heat sink for better thermal performance. This downlights comes with a decorative curved housing which breaks monotony of the space.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEOSURFACEDLS10WLED830S	9405	2117.00	12 N
INTEGRANEOSURFACEDLS10WLED840S	9405	2117.00	12 N
INTEGRANEOSURFACEDLS10WLED857S	9405	2167.00	12 N
INTEGRANEOSURFACEDLS10WLED865S	9405	2176.00	12 N
INTEGRANEOSURFACEDLS15WLED830S	9405	2233	12 N
INTEGRANEOSURFACEDLS15WLED840S	9405	2233	12 N
INTEGRANEOSURFACEDLS15WLED857S	9405	2233	12 N
INTEGRANEOSURFACEDLS15WLED865S	9405	2233	12 N

Fixture size: Ø 200 mm, Height 69 mm



### INTEGRA NXT DL ROUND- RECESSED

A functional range of Aesthetically designed low-depth Downlights with Aluminum housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTDLRD9WLED830S	9405	1420.00	12 N
INTEGRANXTDLRD9WLED840S	9405	1420.00	12 N
INTEGRANXTDLR9WLED857S	9405	1420.00	12 N
INTEGRANXTDLR9WLED865S	9405	1420.00	12 N
INTEGRANXTDLRD12WLED830S	9405	1587.00	12 N
INTEGRANXTDLRD12WLED840S	9405	1587.00	12 N
INTEGRANXTDLR12WLED857S	9405	1587.00	12 N
INTEGRANXTDLR12WLED865S	9405	1587.00	12 N
INTEGRANXTDLRD15WLED830S	9405	1660.00	12 N
INTEGRANXTDLRD15WLED840S	9405	1660.00	12 N
INTEGRANXTDLR15WLED857S	9405	1660.00	12 N
INTEGRANXTDLR15WLED865S	9405	1660.00	12 N
INTEGRANXTDLRD18WLED830S	9405	1700.00	12 N
INTEGRANXTDLRD18WLED840S	9405	1700.00	12 N
INTEGRANXTDLR18WLED857S	9405	1700.00	12 N
INTEGRANXTDLR18WLED865S	9405	1700.00	12 N
INTEGRANXTDLRD24WLED830S	9405	2200.00	12 N
INTEGRANXTDLRD24WLED840S	9405	2200.00	12 N
INTEGRANXTDLR24WLED857S	9405	2200.00	12 N
INTEGRANXTDLR24WLED865S	9405	2200.00	12 N

Ceiling cutout: Ø 110 mm, height 40 mm for 9 W. Ø 145 mm, height 40 mm for 12 W / 15 W / 18 W, Ø 197 mm, height 60 mm for 24 W.



### INTEGRA NXT DL ROUND - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with Aluminum housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTRDDLRSURD9WLED830S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD9WLED840S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD9WLED857S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD9WLED865S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD12WLED830S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD12WLED840S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD12WLED857S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD12WLED865S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD15WLED830S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD15WLED840S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD15WLED857S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD15WLED865S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD18WLED830S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD18WLED840S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD18WLED857S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD18WLED865S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD24WLED840S	9405	2250.00	12 N
INTEGRANXTRDDLRSURD24WLED857S	9405	2250.00	12 N
INTEGRANXTRDDLRSURD24WLED865S	9405	2250.00	12 N

Fixture size: Ø 167 mm, Height 56 mm for 9 W. Ø 170 mm, Height 58 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 65 mm for 24 W.





# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### INTEGRA NXT DL SQUARE- RECESSED

A functional range of Aesthetically designed low-depth Downlights with Aluminum housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTDLSQ9WLED830S	9405	1420.00	12 N
INTEGRANXTDLSQ9WLED840S	9405	1420.00	12 N
INTEGRANXTDLSQ9WLED857S	9405	1420.00	12 N
INTEGRANXTDLSQ9WLED865S	9405	1420.00	12 N
INTEGRANXTDLSQ12WLED830S	9405	1587.00	12 N
INTEGRANXTDLSQ12WLED840S	9405	1587.00	12 N
INTEGRANXTDLSQ12WLED857S	9405	1587.00	12 N
INTEGRANXTDLSQ12WLED865S	9405	1587.00	12 N
INTEGRANXTDLSQ15WLED830S	9405	1660.00	12 N
INTEGRANXTDLSQ15WLED840S	9405	1660.00	12 N
INTEGRANXTDLSQ15WLED857S	9405	1660.00	12 N
INTEGRANXTDLSQ15WLED865S	9405	1660.00	12 N
INTEGRANXTDLSQ18WLED830S	9405	1700.00	12 N
INTEGRANXTDLSQ18WLED840S	9405	1700.00	12 N
INTEGRANXTDLSQ18WLED857S	9405	1700.00	12 N
INTEGRANXTDLSQ18WLED865S	9405	1700.00	12 N

Ceiling cutout: ( LxWxH ) in ( 110 x 110 x 45 ) mm for 9 W. ( 145 x 145 x 48 ) mm for 12 W / 15 W / 18 W



### INTEGRA NXT DL SQUARE - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with Aluminum housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTSQDLRSURD9WLED830S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD9WLED840S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD9WLED857S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD9WLED865S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD12WLED830S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD12WLED840S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD12WLED857S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD12WLED865S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD15WLED830S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD15WLED840S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD15WLED857S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD15WLED865S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD18WLED830S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED840S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED857S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED865S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD24WLED830S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED840S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED857S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED865S	9405	2300.00	6 N

Fixture size: ( L x W x H ) in ( 150 x 150 x 56 ) mm for 9 W. ( L x W x H ) in ( 170 x 170 x 58 ) mm for 12 W / 15 W / 18 W. ( L x W x H ) in ( 210 x 210 x 65 ) mm for 24 W.



### EDGEPRO ROUND RECESSED

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGEPRONEORDDL10WLED840S	9405	1700.00	12 N
EDGEPRONEORDDL10WLED857S	9405	1700.00	12 N
EDGEPRONEORDDL10WLED865S	9405	1700.00	12 N
EDGEPRONEORDDL12WLED840S	9405	1900.00	12 N
EDGEPRONEORDDL12WLED857S	9405	1900.00	12 N
EDGEPRONEORDDL12WLED865S	9405	1900.00	12 N
EDGEPRONEORDDL15WLED840S	9405	2100.00	12 N
EDGEPRONEORDDL15WLED857S	9405	2100.00	12 N
EDGEPRONEORDDL15WLED865S	9405	2100.00	12 N
EDGEPRONEORDDL18WLED840S	9405	2500.00	12 N
EDGEPRONEORDDL18WLED857S	9405	2500.00	12 N
EDGEPRONEORDDL18WLED865S	9405	2500.00	12 N

Ceiling cutout: Ø 135 mm, height 17.5 mm for 10 W. Ø 156 mm, height 17.5 mm for 12 W. Ø155 mm, height 17.5 mm for 15 W. Ø 180 mm, height 22 mm for 18 W



### EDGE SURFACE ROUND

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGESURFACERDDL12WLED840S	9405	2000.00	12 N
EDGESURFACERDDL12WLED857S	9405	2000.00	12 N
EDGESURFACERDDL12WLED865S	9405	2000.00	12 N
EDGESURFACERDDL15WLED840S	9405	2500.00	12 N
EDGESURFACERDDL15WLED857S	9405	2500.00	12 N
EDGESURFACERDDL15WLED865S	9405	2500.00	12 N
EDGESURFACERDDL18WLED840S	9405	3000.00	12 N
EDGESURFACERDDL18WLED857S	9405	3000.00	12 N
EDGESURFACERDDL18WLED865S	9405	3000.00	12 N

Fixture size: Ø 175 mm, Height 35 mm



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### EDGEPRO NEO SQUARE

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGEPRONEOSQDLR10WLED840S	9405	1700.00	12 N
EDGEPRONEOSQDLR10WLED857S	9405	1700.00	12 N
EDGEPRONEOSQDLR10WLED865S	9405	1700.00	12 N
EDGEPRONEOSQDLR12WLED840S	9405	1900.00	12 N
EDGEPRONEOSQDLR12WLED857S	9405	1900.00	12 N
EDGEPRONEOSQDLR12WLED865S	9405	1900.00	12 N
EDGEPRONEOSQDLR15WLED840S	9405	2100.00	12 N
EDGEPRONEOSQDLR15WLED857S	9405	2100.00	12 N
EDGEPRONEOSQDLR15WLED865S	9405	2100.00	12 N
EDGEPRONEOSQDLR18WLED840S	9405	2500.00	12 N
EDGEPRONEOSQDLR18WLED857S	9405	2500.00	12 N
EDGEPRONEOSQDLR18WLED865S	9405	2500.00	12 N

Ceiling cutout: 135 x135 mm, height 17.5 mm for 10 W. 156 x 156 mm, height 17.5 mm for 12 W. 155 x155 mm, height 17.5 mm for 15 W. 175 x 175 mm, height 22 mm for 18 W.



### EDGEPRO SURFACE SQUARE

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGESURFACESQDLR12WLED840S	9405	2000.00	12 N
EDGESURFACESQDLR12WLED857S	9405	2000.00	12 N
EDGESURFACESQDLR12WLED865S	9405	2000.00	12 N
EDGESURFACESQDLR15WLED840S	9405	2500.00	12 N
EDGESURFACESQDLR15WLED857S	9405	2500.00	12 N
EDGESURFACESQDLR15WLED865S	9405	2500.00	12 N
EDGESURFACESQDLR18WLED840S	9405	3000.00	12 N
EDGESURFACESQDLR18WLED857S	9405	3000.00	12 N
EDGESURFACESQDLR18WLED865S	9405	3000.00	12 N

Fixture size: (LxWxH) in (175 x 175 x 35) mm for 12 W / 15 W. (LxWxH) in (225 x 225 x 35) mm for 18 W.



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### GLOW

Recess mounted Downlighter with PC housing & Opal PC diffuser with Independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GLOWDLR10WLED830S	9405	2000.00	12 N
GLOWDLR10WLED840S	9405	2000.00	12 N
GLOWDLR10WLED857S	9405	2000.00	12 N
GLOWDLR12WLED830S	9405	2300.00	12 N
GLOWDLR12WLED840S	9405	2300.00	12 N
GLOWDLR12WLED857S	9405	2300.00	12 N
GLOWDLR15WLED830S	9405	2600.00	12 N
GLOWDLR15WLED840S	9405	2600.00	12 N
GLOWDLR15WLED857S	9405	2600.00	12 N
GLOWDLR18WLED830S	9405	3000.00	12 N
GLOWDLR18WLED840S	9405	3000.00	12 N
GLOWDLR18WLED857S	9405	3000.00	12 N

Ceiling cutout: Ø 165 mm, height 36 mm for 10 W / 12 W / 15 W. Ø 220 mm, height 36 mm for 18 W



### GLOW (SURFACE)

Surface mounted Downlighter with ABS housing & PC Opal diffuser with integral electronic LED driver

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GLOWDLS10WLED830S	9405	2300.00	12 N
GLOWDLS10WLED840S	9405	2300.00	12 N
GLOWDLS10WLED857S	9405	2300.00	12 N
GLOWDLS15WLED830S	9405	2800.00	12 N
GLOWDLS15WLED840S	9405	2800.00	12 N
GLOWDLS15WLED857S	9405	2800.00	12 N
GLOWGENXDLS18WLED857S	9405	3200.00	12 N

Fixture size: Ø 185 mm, Height 45 mm





# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### SPARKLE PRO FIX

Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SPARKLEPROFIXDLR8W830MOD40DWHTEEM	9405	1333.00	30 N
SPARKLEPROFIXDLR8W840MOD40DWHTEEM	9405	1333.00	30 N
SPARKLEPROFIXDLR8W857MOD40DWHTEEM	9405	1333.00	30 N
Non- Dimable driver for above	9405	833.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROFIXDLR12W830MOD40DWHTEEM	9405	2000.00	30 N
SPARKLEPROFIXDLR12W840MOD40DWHTEEM	9405	2000.00	30 N
SPARKLEPROFIXDLR12W857MOD40DWHTEEM	9405	2000.00	30 N
Non- Dimable driver for above	9405	1000.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROFIXDLR20W830MOD40DWHTEEM	9405	2833.00	8 N
SPARKLEPROFIXDLR20W840MOD40DWHTEEM	9405	2833.00	8 N
SPARKLEPROFIXDLR20W857MOD40DWHTEEM	9405	2833.00	8 N
Non- Dimable driver for above	9405	1500.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROFIXDLR30W830MOD40DWHTEEM	9405	5000.00	8 N
SPARKLEPROFIXDLR30W840MOD40DWHTEEM	9405	5000.00	8 N
SPARKLEPROFIXDLR30W857MOD40DWHTEEM	9405	5000.00	8 N
Non- Dimable driver for above	9405	1667.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROFIXDLR45W830MOD60DWHTEEM	9405	6000.00	8 N
SPARKLEPROFIXDLR45W840MOD60DWHTEEM	9405	6000.00	8 N
SPARKLEPROFIXDLR45W857MOD60DWHTEEM	9405	6000.00	8 N
Non- Dimable driver for above	9405	1500.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
Ceiling cutout: Ø 80 mm, height 50 mm for 8 W. Ceiling cutout: Ø 105 mm, height 65 mm for 12 W Ceiling cutout: Ø 128 mm, height 80 mm for 20 W. Ceiling cutout: Ø 183 mm, height 105 mm for 30 W Ceiling cutout: Ø 205 mm, height 117 mm for 45 W ORDERING : MODULE (MOD) + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately			



### SPARKLE PRO DL

Recess mounting downlighter with pressure die-cast aluminium housing & high power Discrete LED used as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SPARKLEPROFIXDLR50WLED857S60DWHTEEM	9405	On Request	1 N
SPARKLEPROFIXDLR60WLED857S60DWHTEEM	9405	On Request	1 N
SPARKLEPROFIXDLR70WLED857S60DWHTEEM	9405	On Request	1 N
SPARKLEPROFIXDLR50WLED857S90DWHTEEM	9405	On Request	1 N
SPARKLEPROFIXDLR60WLED857S90DWHTEEM	9405	On Request	1 N
SPARKLEPROFIXDLR70WLED857S90DWHTEEM	9405	On Request	1 N
Ceiling cutout: Ø 240 mm, height 209 mm			



### SPARKLE PRO ADJUSTABLE

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SPARKLEPROADJDLR8W830MOD40DWHNEEM	9405	1500.00	30 N
SPARKLEPROADJDLR8W840MOD40DWHNEEM	9405	1500.00	30 N
SPARKLEPROADJDLR8W857MOD40DWHNEEM	9405	1500.00	30 N
Non- Dimable driver for above	9405	833.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROADJDLR12W830MOD40DWHNEEM	9405	2167.00	30 N
SPARKLEPROADJDLR12W840MOD40DWHNEEM	9405	2167.00	30 N
SPARKLEPROADJDLR12W857MOD40DWHNEEM	9405	2167.00	30 N
Non- Dimable driver for above	9405	1000.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROADJDLR20W830MOD40DWHNEEM	9405	3000.00	20 N
SPARKLEPROADJDLR20W840MOD40DWHNEEM	9405	3000.00	20 N
SPARKLEPROADJDLR20W857MOD40DWHNEEM	9405	3000.00	20 N
Non- Dimable driver for above	9405	1500.00	20 N
Dimable DALI driver for above	9405	On Request	30 N
SPARKLEPROADJDLR30W830MOD40DWHNEEM	9405	5167.00	10 N
SPARKLEPROADJDLR30W840MOD40DWHNEEM	9405	5167.00	10 N
SPARKLEPROADJDLR30W857MOD40DWHNEEM	9405	5167.00	10 N
SPARKLEPROADJDLR30W840MOD40DBLKNEEM	9405	5167.00	10 N
Non- Dimable driver for above	9405	1667.00	20 N
Dimable DALI driver for above	9405	On Request	30 N

Ceiling cutout: Ø 75 mm, height 62 mm for 8 W. Ceiling cutout: Ø 90 mm, height 75 mm for 12 W  
 Ceiling cutout: Ø 120 mm, height 90 mm for 20 W. Ceiling cutout: Ø 142 mm, height 98 mm for 30 W  
 ORDERING : MODULE (MOD) + DRIVER (DRIVER TO BE ORDERED SEPARATELY)  
 Driver packed separately



### SPARKLE PRO SNOOT

Recess mounted LED wall washers, tilted 70° outwards and swivels 360° to offer best illumination on the wall and retail displays.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SPARKLEPROSNOOTDLR20W830MOD30DWHNEEM	9405	4000.00	18 N
SPARKLEPROSNOOTDLR20W840MOD30DWHNEEM	9405	4000.00	18 N
SPARKLEPROSNOOTDLR20W857MOD30DWHNEEM	9405	4000.00	18 N
Driver for above	9405	1500.00	20 N
SPARKLEPROSNOOTDLR30W830MOD38DWHNEEM	9405	4667.00	12 N
SPARKLEPROSNOOTDLR30W840MOD38DWHNEEM	9405	4667.00	12 N
SPARKLEPROSNOOTDLR30W857MOD38DWHNEEM	9405	4667.00	12 N
Driver for above	9405	1667.00	20 N

Ceiling cutout: Ø 140 mm, height 140 mm for 20 W. Ceiling cutout: Ø 175 mm, height 170 mm for 30 W  
 ORDERING : MODULE (MOD) + DRIVER (DRIVER TO BE ORDERED SEPARATELY)  
 Driver packed separately



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### UNECO FIXED DOWN LIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light pressure die-cast aluminum heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy of 140 lm/W used for enhanced lumen output.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOFIXDLR8WLED830S60	9405	1888.00	20 N
UNECOFIXDLR8WLED840S60	9405	1888.00	20 N
UNECOFIXDLR8WLED857S60	9405	1888.00	20 N
UNECOFIXDLR12WLED830S60	9405	2232.00	20 N
UNECOFIXDLR12WLED840S60	9405	2232.00	20 N
UNECOFIXDLR12WLED857S60	9405	2232.00	20 N
UNECOFIXDLR15WLED830S60	9405	2609.00	20 N
UNECOFIXDLR15WLED840S60	9405	2609.00	20 N
UNECOFIXDLR15WLED857S60	9405	2609.00	20 N
UNECOFIXDLR20WLED830S60	9405	3622.00	10 N
UNECOFIXDLR20WLED840S60	9405	3622.00	10 N
UNECOFIXDLR20WLED857S60	9405	3622.00	10 N
UNECOFIXDLR30WLED830S60	9405	5081.00	10 N
UNECOFIXDLR30WLED840S60	9405	5081.00	10 N
UNECOFIXDLR30WLED857S60	9405	5081.00	10 N
UNECOFIXDLR40WLED830S40	9405	7138.00	10 N
UNECOFIXDLR40WLED840S40	9405	7138.00	10 N
UNECOFIXDLR40WLED857S40	9405	7138.00	10 N

Ceiling cutout: Ø 70 mm, height 40 mm for 8 W. Ceiling cutout: Ø 80 mm, height 41 mm for 12 W  
 Ceiling cutout: Ø 90 mm, height 41 mm for 15 W. Ceiling cutout: Ø 110 mm, height 51 mm for 20 W  
 Ceiling cutout: Ø 160 mm, height 53 mm for 30 W. Ceiling cutout: Ø 190 mm, height 57 mm for 40 W



### UNECO ADJUSTABLE SPOT LIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light pressure die-cast aluminum heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy of 140 lm/W used for enhanced lumen output.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOADJDLR8WLED830S24	9405	2232.00	20 N
UNECOADJDLR8WLED840S24	9405	2232.00	20 N
UNECOADJDLR8WLED857S24	9405	2232.00	20 N
UNECOADJDLR12WLED830S24	9405	2582.00	20 N
UNECOADJDLR12WLED840S24	9405	2582.00	20 N
UNECOADJDLR12WLED857S24	9405	2582.00	20 N
UNECOADJDLR15WLED830S24	9405	2936.00	20 N
UNECOADJDLR15WLED840S24	9405	2936.00	20 N
UNECOADJDLR15WLED857S24	9405	2936.00	20 N
UNECOADJDLR20WLED830S36	9405	3948.00	10 N
UNECOADJDLR20WLED840S36	9405	3948.00	10 N
UNECOADJDLR20WLED857S36	9405	3948.00	10 N
UNECOADJDLR30WLED830S36	9405	5322.00	10 N
UNECOADJDLR30WLED840S36	9405	5322.00	10 N
UNECOADJDLR30WLED857S36	9405	5322.00	10 N

Ceiling cutout: Ø 75 mm, height 50 mm for 8 W. Ceiling cutout: Ø 75 mm, height 50 mm for 12 W  
 Ceiling cutout: Ø 95 mm, height 67 mm for 15 W. Ceiling cutout: Ø 120 mm, height 83 mm for 20 W  
 Ceiling cutout: Ø 140 mm, height 90 mm for 30 W



### UNECO SNOOT

Recess mounted LED wall washers, tilted 70° outwards and swivels 350° to offer best illumination on the wall and retail displays.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOSNOOTDLR8WLED830S36	9405	2000.00	20 N
UNECOSNOOTDLR8WLED840S36	9405	2000.00	20 N
UNECOSNOOTDLR8WLED857S36	9405	2000.00	20 N
UNECOSNOOTDLR15WLED830S36	9405	3140.00	20 N
UNECOSNOOTDLR15WLED840S36	9405	3140.00	20 N
UNECOSNOOTDLR15WLED857S36	9405	3140.00	20 N
UNECOSNOOTDLR25WLED830S36	9405	4830.00	10 N
UNECOSNOOTDLR25WLED840S36	9405	4830.00	10 N
UNECOSNOOTDLR25WLED857S36	9405	4830.00	10 N

Ceiling cutout: Ø 80 mm, height 70 mm for 8 W. Ceiling cutout: Ø 95 mm, height 76 mm for 15 W  
 Ceiling cutout: Ø 120 mm, height 97 mm for 15 W  
 ORDERING : MODULE (MOD) + DRIVER (DRIVER TO BE ORDERED SEPARATELY)  
 Driver packed separately




### UNECO BRITE SPOT LIGHT

Deep recessed antiglare LED Spot down light for general and accent lighting. The premium reflector matches the ceiling and accentuates the architecture of the area without compromising the light output.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOBRITE10WLED827S24	9405	2517.00	20 N
UNECOBRITE10WLED830S24	9405	2517.00	20 N
UNECOBRITE10WLED840S24	9405	2517.00	20 N
UNECOBRITE15WLED827S24	9405	2836.00	20 N
UNECOBRITE15WLED830S24	9405	2836.00	20 N
UNECOBRITE15WLED840S24	9405	2836.00	20 N
UNECOBRITEATTACHEMENT RDRWHT	9405	539.00	20 N
UNECOBRITEATTACHEMENT OVALRWHT	9405	649.00	20 N
TLDLRDFIXATTACHPLBLK	9405	1285.00	20 N
TLDLRDFIXATTACHPLWHT	9405	1285.00	20 N
WWRDASYMFIXATTACHPLWHT	9405	450.00	20 N


Ceiling cutout: Ø 75 mm, height 55 mm for 10 W. Ceiling cutout: Ø 75 mm, height 65 mm for 15 W  
 ORDERING : MODULE (MOD) + DRIVER (DRIVER TO BE ORDERED SEPARATELY)  
 Driver packed separately



### UNECO SURFACE SPOT LIGHT BLACK

Uneco surface light with black powder coated aluminum housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOSURFDLS8WLED830S24BLK	9405	3475.00	20 N
UNECOSURFDLS8WLED840S24BLK	9405	3475.00	20 N
UNECOSURFDLS8WLED857S24BLK	9405	3475.00	20 N
UNECOSURFDLS15WLED830S24BLK	9405	4172.00	20 N
UNECOSURFDLS15WLED840S24BLK	9405	4172.00	20 N
UNECOSURFDLS15WLED857S24BLK	9405	4172.00	20 N
UNECOSURFDLS20WLED830S36BLK	9405	5562.00	10 N
UNECOSURFDLS20WLED840S36BLK	9405	5562.00	10 N
UNECOSURFDLS20WLED857S36BLK	9405	5562.00	10 N
UNECOSURFDLS30WLED830S36BLK	9405	7622.00	10 N
UNECOSURFDLS30WLED840S36BLK	9405	7622.00	10 N
UNECOSURFDLS30WLED857S36BLK	9405	7622.00	10 N





# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### UNECO SURFACE SPOT LIGHT WHITE

Uneco surface light with white powder coated aluminum housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOSURFDLS8WLED830S24WHT	9405	3475.00	20 N
UNECOSURFDLS8WLED840S24WHT	9405	3475.00	20 N
UNECOSURFDLS8WLED857S24WHT	9405	3475.00	20 N
UNECOSURFDLS15WLED830S24WHT	9405	4172.00	20 N
UNECOSURFDLS15WLED840S24WHT	9405	4172.00	20 N
UNECOSURFDLS15WLED857S24WHT	9405	4172.00	20 N
UNECOSURFDLS20WLED830S36WHT	9405	5562.00	10 N
UNECOSURFDLS20WLED840S36WHT	9405	5562.00	10 N
UNECOSURFDLS20WLED857S36WHT	9405	5562.00	10 N
UNECOSURFDLS30WLED830S36WHT	9405	7622.00	10 N
UNECOSURFDLS30WLED840S36WHT	9405	7622.00	10 N
UNECOSURFDLS30WLED857S36WHT	9405	7622.00	10 N



### UNECO SUSPENDED SPOT LIGHT WHITE

Uneco pendant light with white powder coated aluminum housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOPENDDLP8WLED830S24WHT	9405	3863.00	20 N
UNECOPENDDLP8WLED840S24WHT	9405	3863.00	20 N
UNECOPENDDLP8WLED857S24WHT	9405	3863.00	20 N
UNECOPENDDLP15WLED830S24WHT	9405	4635.00	20 N
UNECOPENDDLP15WLED840S24WHT	9405	4635.00	20 N
UNECOPENDDLP15WLED857S24WHT	9405	4635.00	20 N
UNECOPENDDLP20WLED830S36WHT	9405	5947.00	10 N
UNECOPENDDLP20WLED840S36WHT	9405	5947.00	10 N
UNECOPENDDLP20WLED857S36WHT	9405	5947.00	10 N
UNECOPENDDLP30WLED830S36WHT	9405	8034.00	10 N
UNECOPENDDLP30WLED840S36WHT	9405	8034.00	10 N
UNECOPENDDLP30WLED857S36WHT	9405	8034.00	10 N



### UNECO SUSPENDED SPOT LIGHT BLACK

Uneco pendant light with black powder coated aluminum housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOPENDDLP8WLED830S24BLK	9405	3863.00	20 N
UNECOPENDDLP8WLED840S24BLK	9405	3863.00	20 N
UNECOPENDDLP8WLED857S24BLK	9405	3863.00	20 N
UNECOPENDDLP15WLED830S24BLK	9405	4635.00	20 N
UNECOPENDDLP15WLED840S24BLK	9405	4635.00	20 N
UNECOPENDDLP15WLED857S24BLK	9405	4635.00	20 N
UNECOPENDDLP20WLED830S36BLK	9405	5947.00	10 N
UNECOPENDDLP20WLED840S36BLK	9405	5947.00	10 N
UNECOPENDDLP20WLED857S36BLK	9405	5947.00	10 N
UNECOPENDDLP30WLED830S36BLK	9405	8034.00	10 N
UNECOPENDDLP30WLED840S36BLK	9405	8034.00	10 N
UNECOPENDDLP30WLED857S36BLK	9405	8034.00	10 N



### UNECO TRACK LIGHT

Track mounted LED light with modern design, compact size with High power COB LED to provide focussed light. Track light is a method of lighting where light fixtures are attached anywhere on a continuous track rail which is electrically charged as compared to the need of routing electrical wiring to individual light position.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOTRACKLIGHTTS10WLED830S15WHT	9405	2700.00	20 N
UNECOTRACKLIGHTTS10WLED840S15WHT	9405	2700.00	20 N
UNECOTRACKLIGHTTS10WLED857S15WHT	9405	2700.00	20 N
UNECOTRACKLIGHTTS15WLED830S38WHT	9405	3500.00	20 N
UNECOTRACKLIGHTTS15WLED840S38WHT	9405	3500.00	20 N
UNECOTRACKLIGHTTS15WLED857S38WHT	9405	3500.00	20 N
UNECOTRACKLIGHTTS25WLED830S60WHT	9405	4300.00	10 N
UNECOTRACKLIGHTTS25WLED840S60WHT	9405	4300.00	10 N
UNECOTRACKLIGHTTS25WLED857S60WHT	9405	4300.00	10 N
UNECOTRACKLIGHTTS30WLED830S60WHT	9405	5000.00	10 N
UNECOTRACKLIGHTTS30WLED840S60WHT	9405	5000.00	10 N
UNECOTRACKLIGHTTS30WLED857S60WHT	9405	5000.00	10 N
UNECOTRACKLIGHTTS10WLED830S15BLK	9405	2700.00	20 N
UNECOTRACKLIGHTTS10WLED840S15BLK	9405	2700.00	20 N
UNECOTRACKLIGHTTS10WLED857S15BLK	9405	2700.00	20 N
UNECOTRACKLIGHTTS15WLED830S38BLK	9405	3500.00	20 N
UNECOTRACKLIGHTTS15WLED840S38BLK	9405	3500.00	20 N
UNECOTRACKLIGHTTS15WLED857S38BLK	9405	3500.00	20 N
UNECOTRACKLIGHTTS25WLED830S60BLK	9405	4300.00	10 N
UNECOTRACKLIGHTTS25WLED840S60BLK	9405	4300.00	10 N
UNECOTRACKLIGHTTS25WLED857S60BLK	9405	4300.00	10 N
UNECOTRACKLIGHTTS30WLED830S60BLK	9405	5000.00	10 N
UNECOTRACKLIGHTTS30WLED840S60BLK	9405	5000.00	10 N
UNECOTRACKLIGHTTS30WLED857S60BLK	9405	5000.00	10 N



### SCUBA TRACK LIGHT

Track based spot light with high efficiency reflector makes it ideal for lighting-up retail spaces with bright and crisp light throw. Suitable for 3 circuit-4 wire universal tracks.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SCUBA35W930S55DBLK	9405	11000.00	4 N
SCUBA35W940S55DBLK	9405	11000.00	4 N
SCUBA35W865S55DBLK	9405	11000.00	4 N
SCUBA35W930S55DWHT	9405	11000.00	4 N
SCUBA35W940S55DWHT	9405	11000.00	4 N
SCUBA35W865S55DWHT	9405	11000.00	4 N



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### UNECO TRACK LIGHT ACCESSORIES

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
1MTR1PHASETRACKTSWHT	9405	2300.00	6 N
1MTR1PHASETRACKTSBLK	9405	2300.00	6 N
2MTR1PHASETRACKTSWHT	9405	4250.00	6 N
2MTR1PHASETRACKTSBLK	9405	4250.00	6 N
Flat ISHAPECONNECTOR1PHASETSWHT	9405	765.00	100 N
Flat LSHAPECONNECTOR1PHASETSWHT	9405	975.00	50 N
Flat TSHAPECONNECTOR1PHASETSWHT	9405	1000.00	50 N
Flat XSHAPECONNECTOR1 PHASETSWHT	9405	1200.00	50 N
Flat ISHAPECONNECTOR1PHASETSBLK	9405	765.00	100 N
Flat LSHAPECONNECTOR1PHASETSBLK	9405	975.00	50 N
Flat TSHAPECONNECTOR1PHASETSBLK	9405	1000.00	50 N
Flat XSHAPECONNECTOR1 PHASETSBLK	9405	1200.00	50 N



### SCUBA TRACK LIGHT ACCESSORIES

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
1MTR3PHASETRACKTSBLK	9405	2700.00	8 N
2MTR3PHASETRACKTSBLK	9405	4500.00	8 N
1MTR3PHASETRACKTSWHT	9405	2700.00	8 N
2MTR3PHASETRACKTSWHT	9405	4500.00	8 N







# Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### STOUT PRO

Surface mounting Heavy Duty Industrial Battens with best in class Luminaire Efficacy. This CRCA housing battens are equipped with specially designed Extruded Aluminium heat sink and Potted Electronics driver for ensuring rugged and long lasting product performance. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STOUTPRO1200BS23WLED865PCWH	9405	4000.00	4 N
STOUTPRO1200BS47WLED865PCWH	9405	5000.00	4 N

Fixture size: ( L x W x H ) in ( 1224 x 43 x 58 ) mm



### STOUT PLUS

Surface mounting Decorative LED Battens with best in class Luminaire Efficacy. This white powder coated CRCA housing battens are equipped with Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STOUTPLUS600BS20WLED840SPCWH	9405	3300.00	4 N
STOUTPLUS600BS20WLED857SPCWH	9405	3300.00	4 N
STOUTPLUS1200BS40WLED840SPCWH	9405	4300.00	4 N
STOUTPLUS1200BS40WLED857SPCWH	9405	4300.00	4 N

Fixture size: ( L x W x H ) in ( 605 x 66 x 76 ) mm for 20 W, ( 1205 x 66 x 76 ) mm for 40 W



### STOUT MINI

Surface mounting decorative Battens with best in class Luminaire Efficacy. This CRCA housing battens are equipped with specially designed Extruded Aluminium heat sink, Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STOUTMINI1200BS20WLED865SPCWH	9405	3500.00	4 N
STOUTMINI1200BS40WLED865SPCWH	9405	4000.00	4 N
STOUTMINI1200BSGEN20WLED840SPCWH	9405	3200.00	4 N
STOUTMINI1200BSGEN20WLED857SPCWH	9405	3200.00	4 N
STOUTMINI1200BSGEN20WLED865SPCWH	9405	3200.00	4 N
STOUTMINI1200BSGEN40WLED840SPCWH	9405	3800.00	4 N
STOUTMINI1200BSGEN40WLED857SPCWH	9405	3800.00	4 N
STOUTMINI1200BSGEN40WLED865SPCWH	9405	3800.00	4 N

Fixture size: ( L x W x H ) in ( 1224 x 43 x 58 ) mm



### DURA PRO BATTEN

Surface/ Suspension mounting Heavy Duty Industrial Battens with best in class Luminaire Efficacy. These Extruded Aluminum housing battens are with Potted Electronics driver and IP40 protection which makes it a perfect solution for high demanding and rugged applications. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DURAPROBS45WLED840SPCSSPD	9405	4000.00	20 N
DURAPROBS45WLED865SPCSSPD	9405	4000.00	20 N

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm



### SUSPENSION CLAMP (ADDITIONAL ACCESSORY)

DURASUSPCLAMP39X30X27DIA6	9405	100.00	50 N
---------------------------	------	--------	------

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm

# Indoor Commercial LED Luminaires

## BATTEN

### DURA BATTEN

Surface / Suspension mounting General Purpose Aluminum Battens with best in class Luminaire Efficacy. These Extruded Aluminum housing battens are available with multiple options like surface/Conduit Mounting clamps and Potted Electronics driver which makes it a perfect solution for varied application areas. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DURABS40WLED830SPCSS	9405	2100.00	20 N
DURABS40WLED840SPCSS	9405	2100.00	20 N
DURABS40WLED865SPCSS	9405	2100.00	20 N
DURABS40WLED830SPCSSPD*	9405	2300.00	20 N
DURABS40WLED840SPCSSPD*	9405	2300.00	20 N
DURABS40WLED865SPCSSPD*	9405	2300.00	20 N

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm

# Fixture with "PD" suffix are with Potted Driver

# Suspension mounting clamps DURASUSPCLAMP39X30X27DIA6 to be ordered separately.



### ENDURA LINEAR PRO BATTEN

Surface mounting General Purpose Aluminum Battens with best in class Luminaire Efficacy. These Extruded Aluminum housing battens are equipped with high specifications CISPR 15 compliant Electronics driver and Milky white, special polycarbonate diffuser, for glare free efficient light distribution. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURALINEARPROBS20WLED840SPCSSIND	9405	1400.00	30 N
ENDURALINEARPROBS20WLED865SPCSSIND	9405	1400.00	30 N

Fixture size: ( L x W x H ) in ( 1100 X 23 X 37 ) mm



### LUMILINE X BATTEN

Surface mounting special application LED Battens with best in class Luminaire Efficacy. These high efficacy battens helps in achieving higher lighting levels for equivalent power consumption of standard battens.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEXS17WLED865SPCWH	9405	950.00	20 N
LUMILINEPLUSXS36WLED865SPCWH	9405	1675.00	20 N

Fixture size: ( L x W x H ) in ( 1100 x 23 x 37 ) mm ( for 17 W ), ( 1185 x 35 x 40 ) mm ( for 36 W )

Housing Material: 17 W: PC; 36 W: Extruded Aluminum



### LUMILINE SMART BATTEN

A Smart range of Aesthetically designed LED batten having extruded Aluminum housing with Microwave motion technology for providing an energy efficient solution and with aluminum housing & integrated electronic driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINESMART20WLED865PCWH	9405	2000.00	20 N
LUMILINESMART36WLED865PCWH	9405	2800.00	20 N

Fixture size: ( L x W x H ) in ( 1185 x 23 x 37 ) mm ( for 20 W ), ( 1185 x 35 x 40 ) mm ( for 36 W )



### LUMILINE PLUS PRO BATTEN

Surface mounting General Purpose LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSPROBS18WLED840SPCSSIND	9405	975.00	30 N
LUMILINEPLUSPROBS18WLED865SPCSSIND	9405	975.00	30 N
LUMILINEPLUSPROBS20WLED840SPCSSIND	9405	1000.00	30 N
LUMILINEPLUSPROBS20WLED865SPCSSIND	9405	1000.00	30 N

Fixture size:(L x W x H) in (1100 x 23 x 37) mm



### LUMILINE PLUS NEO

Surface mounting General Purpose LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSBS10WLED830SPCSSIND	9405	625.00	20 N
LUMILINEPLUSBS10WLED865SPCSSIND	9405	625.00	20 N
LUMILINEPLUSBS10WLED865SPCSSIND	9405	625.00	30 N
LUMILINEPLUSNEOBS18WLED830SPCSSIND	9405	900.00	30 N
LUMILINEPLUSNEOBS18WLED840SPCSSIND	9405	900.00	30 N
LUMILINEPLUSNEOBS18WLED865SPCSSIND	9405	900.00	30 N
LUMILINEPLUSNEOBS20WLED830SPCSSIND	9405	935.00	30 N
LUMILINEPLUSNEOBS20WLED840SPCSSIND	9405	935.00	30 N
LUMILINEPLUSNEOBS20WLED865SPCSSIND	9405	935.00	30 N
LUMILINEPLUSNEOBS22WLED830SPCSSIND	9405	965.00	30 N
LUMILINEPLUSNEOBS22WLED840SPCSSIND	9405	965.00	30 N
LUMILINEPLUSNEOBS22WLED865SPCSSIND	9405	965.00	30 N
LUMILINEPLUSNEOBS24WLED830SPCSSIND	9405	990.00	30 N
LUMILINEPLUSNEOBS24WLED840SPCSSIND	9405	990.00	30 N
LUMILINEPLUSNEOBS24WLED865SPCSSIND	9405	990.00	30 N

Fixture size: ( L x W x H ) in ( 592 x 23 x 37 ) mm ( for 10 W ), ( L x W x H ) in ( 1100 x 23x37 ) mm ( for 18 W / 20 W / 22 W / 24 W )



### LUMILINE PLUS HIGH WATTAGE

Surface/ Pendant mounting Special Application High Wattage LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSBS30WLED840SPCSSIND	9405	1300.00	30 N
LUMILINEPLUSBS30WLED865SPCSSIND	9405	1300.00	30 N
LUMILINEPLUSBS36WLED840SPCSSIND	9405	1600.00	30 N
LUMILINEPLUSBS36WLED865SPCSSIND	9405	1600.00	30 N
LUMILINEPLUSBS40WLED840SPCSSIND	9405	1800.00	30 N
LUMILINEPLUSBS40WLED865SPCSSIND	9405	1800.00	30 N

Fixture size: (LxWxH) in (11853x23x37) mm

Suspension mounting clamps to be ordered separately. Ordering code available on request.





# Indoor Commercial LED Luminaires

## BATTEN

### LUMILINE PLUS MINI

Surface mounting Special Application compact length LED Battens in Extruded Aluminium housing.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSMINIBS18WLED840SPCSSIND	9405	800.00	30 N
LUMILINEPLUSMINIBS18WLED865SPCSSIND	9405	800.00	30 N
LUMILINEPLUSMINIBS20WLED840SPCSSIND	9405	800.00	30 N
LUMILINEPLUSMINIBS20WLED865SPCSSIND	9405	800.00	30 N

Fixture size: ( L x W x H ) in ( 550 x 23 x 33 ) mm



### LUMILINE PRO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPROBS18WLED840SPCSSIND	9405	775.00	30 N
LUMILINEPROBS18WLED865SPCSSIND	9405	775.00	30 N
LUMILINEPROBS20WLED840SPCSSIND	9405	800.00	30 N
LUMILINEPROBS20WLED865SPCSSIND	9405	800.00	30 N

Fixture size: ( L x W x H ) in ( 1100 x 24 x 33 ) mm



### LUMILINE NXT BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINENXTBS10WLED830PCWH	9405	540.00	40 N
LUMILINENXTBS10WLED840PCWH	9405	540.00	40 N
LUMILINENXTBS10WLED865PCWH	9405	540.00	40 N
LUMILINENXTBS18WLED830PCWH	9405	590.00	40 N
LUMILINENXTBS18WLED840PCWH	9405	590.00	40 N
LUMILINENXTBS18WLED865PCWH	9405	590.00	40 N
LUMILINENXTBS20WLED830PCWH	9405	650.00	40 N
LUMILINENXTBS20WLED840PCWH	9405	650.00	40 N
LUMILINENXTBS20WLED865PCWH	9405	650.00	40 N
LUMILINENXTBS22WLED830PCWH	9405	670.00	40 N
LUMILINENXTBS22WLED840PCWH	9405	670.00	40 N
LUMILINENXTBS22WLED865PCWH	9405	670.00	40 N

Fixture size: L x W x H ) in ( 600 x 24 x 33 ) mm (for 10 W), ( L x W x H ) in ( 1100 x 24 x 33 ) mm (for 18 W / 20 W / 22 W)



### LUMILINE NEO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and round-shaped diffuser with a wide range of wattages to suit a variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINENE OBS18WLED830SPCWH	9405	590.00	40 N
LUMILINENE OBS18WLED840SPCWH	9405	590.00	40 N
LUMILINENE OBS18WLED865SPCWH	9405	590.00	40 N
LUMILINENE OBS20WLED830SPCWH	9405	650.00	40 N
LUMILINENE OBS20WLED840SPCWH	9405	650.00	40 N
LUMILINENE OBS20WLED865SPCWH	9405	650.00	40 N
LUMILINENE OBS22WLED830SPCWH	9405	670.00	40 N
LUMILINENE OBS22WLED840SPCWH	9405	670.00	40 N
LUMILINENE OBS22WLED865SPCWH	9405	670.00	40 N

Fixture size: ( L x W x H ) in ( 1100 x 24 x 33 ) mm



### REGAL BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
REGALBATTENT8UPTO1X22WSSBSWHNW	9405	650.00	15 N
REGALBATTENT8UPTO2X22WSSBSWHNW	9405	650.00	15 N

Fixture size: ( L x W x H ) in ( 1100 x 24 x 33 ) mm



### STREAK BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STREAKT8UPTO1X22WSSBSWH	9405	300.00	20 N
STREAKT8UPTO2X22WSSBSWH	9405	350.00	20 N

Fixture size: ( L x W x H ) in ( 1233 x 36 x 46 ) mm (for 1 x 22 W), (1233 x 71.5 x 46) mm (for 2x22 W)



### STREAK NEO BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STREAKNEOT8UPTO1X22WSSBSWH	9405	280.00	20 N
STREAKNEOT8UPTO2X22WSSBSWH	9405	330.00	20 N

Fixture size: ( L x W x H ) in ( 1233 x 36 x 46 ) mm (for 1 x 22 W), (1233 x 71.5 x 46) mm (for 2x22 W)



# Indoor Commercial LED Luminaires

## BATTEN

### TITANIA PLUS 2.0 LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with Aluminium insert/housing & very high efficacy  $\geq 120$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TITANIAPLUS2.01213T8SSTL18WLED865SPC	9405	1250.00	20 N
TITANIAPLUS1213T8SSTL30WLED865SPC	9405	1750.00	20 N

Fixture size: ( $\varnothing$  x L) in ( 28 x 1213 ) mm



### TITANIA NEO LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 105$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TITANIANEO1213T8SSTL18WLED865SPC	9405	1100.00	20 N
TITANIANEO1213T8SSTL20WLED865SPC	9405	1100.00	20 N

Fixture size: ( $\varnothing$  x L) in ( 28 x 1213 ) mm



### PHOTON ULTRA PLUS 2.0 TUBELIGHT <10%

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 115$  lm/W & THD<10% suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAPLUSN1213T8SSTL18WLED865PCIND	9405	1325.00	30 N
PHOTONULTRAPLUSN1213T8SSTL20WLED865PCIND	9405	1325.00	30 N

Fixture size: ( $\varnothing$ xL) in (28x1213) mm (for 18 W / 20 W)



### PHOTON ULTRA 2.0 TUBELIGHT <15%

Ultra bright LED Tubelight (single side connection) with very high efficacy & THD <15% best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAE2.0603T8SSTL10WLED865SPC	9405	540.00	30 N
PHOTONULTRAE2.01213T8SSTL18WLED865SPC	9405	725.00	30 N
PHOTONULTRAE2.01213T8SSTL20WLED865SPC	9405	725.00	30 N

Fixture size: ( $\varnothing$ xL) in (28x603) mm (for 10 W), (28x1213) mm (for 18 W / 20 W)



### CRYSTAL GLASS LED TUBELIGHT

Ultra bright LED Tubelight with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CRYSTALT81213SSTL18WLED865SGLASS	9405	600.00	20 N
CRYSTALT81213SSTL20WLED865SGLASS	9405	600.00	20 N

Fixture size: ( $\varnothing$  x L) in ( 28 x 1213 ) mm



### PHOTON ULTRA PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAPLL419TL18WLED865SPC	9405	1135.00	20 N
Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm			



### HERCULES PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
HERCULESPLL419TL18WLED865SPC	9405	900.00	20 N
Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm			



# Indoor Commercial LED Luminaires

## LED STRIPS

### LED FLEXI STRIP

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP20

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIP5MIP2024V/1ALED830MOD V1	9405	1200.00	10 N
FLEXISTRIP5MIP2024V/1ALED840MOD V1	9405	1200.00	10 N
FLEXISTRIP5MIP2024V/1ALED865MOD V1	9405	1200.00	10 N
FLEXISTRIP5MIP2024V/2ALED830MOD V1	9405	1325.00	10 N
FLEXISTRIP5MIP2024V/2ALED840MOD V1	9405	1325.00	10 N
FLEXISTRIP5MIP2024V/2ALED865MOD V1	9405	1325.00	10 N
CVDRIVER24V1A	9405	1000.00	20 N
CVDRIVER24V2A	9405	1400.00	20 N

Fixture size: 5 m



### FLEXI STRIP TRICA AC LED TRICOLOR STRIP LIGHT IP65

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP65

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIPTRICARPE120D18MSTRIP65	9405	5000.00	2 N

Fixture size: 18 m







# Industrial LED Luminaires

Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

### SAUCER NEXTGEN HIGHBAY

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SAUCERGENXHBP80WLED757P60DBOLTG	9405	12500.00	1 N
SAUCERGENXHBP80WLED757P90DBOLTG	9405	12500.00	1 N
SAUCERGENXHBP100WLED757P90DBOLTG	9405	14000.00	1 N
SAUCERGENXHBP120WLED757P90DBOLTG	9405	15000.00	1 N
SAUCERGENXMIDHBP80WLED857PWBBOLTG	9405	14000.00	1 N
SAUCERGENXMIDHBP120WLED857PWBBOLTG	9405	19500.00	1 N
SAUCERGENXPROHBP80WLED757P90DBOLTG	9405	15000.00	1 N
SAUCERGENXPROHBP100WLED757P90DBOLTG	9405	18000.00	1 N
SAUCERGENXPROHBP100WLED757P60DBOLTG	9405	18000.00	1 N
SAUCERGENXPROHBP120WLED757P60DBOLTG	9405	19500.00	1 N
SAUCERGENXPROHBP120WLED757P90DBOLTG	9405	19500.00	1 N

Note: Dimmable, Occupancy Sensor, Lux sensor, Warm white, LILO - variants available upon request.



### SAUCER NEXTGEN HIGHBAY - ADV SERIES

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SAUCERGENXADVHBP150WLED857PWBBORL	9405	19000.00	1 N
SAUCERGENXADVHBP150WLED857PNBBORL	9405	19000.00	1 N
SAUCERGENXADMIDHBP150WLED857PWBBORL	9405	22000.00	1 N
SAUCERGENXADMIDHBP150WLED857PNBBORL	9405	22000.00	1 N
SAUCERGENXADVPROHBP150WLED857PWBBORL	9405	24000.00	1 N
SAUCERGENXADVPROHBP150WLED857PNBBORL	9405	24000.00	1 N
SAUCERGENXADVHBP180WLED757PWBBORL	9405	24250.00	1 N
SAUCERGENXADVHBP180WLED757PNBBORL	9405	24250.00	1 N
SAUCERGENXADMIDHBP180WLED757PWBBORL	9405	26750.00	1 N
SAUCERGENXADMIDHBP180WLED757PNBBORL	9405	26750.00	1 N
SAUCERGENXADVPROHBP180WLED757PWBBORL	9405	29750.00	1 N
SAUCERGENXADVPROHBP180WLED757PNBBORL	9405	30250.00	1 N
SAUCERGENXADVHBP200WLED757PWBBORL	9405	25000.00	1 N
SAUCERGENXADVHBP200WLED757PNBBORL	9405	25500.00	1 N
SAUCERGENXADMIDHBP200WLED757PWBBORL	9405	27000.00	1 N
SAUCERGENXADMIDHBP200WLED757PNBBORL	9405	27500.00	1 N
SAUCERGENXADVPROHBP200WLED757PWBBORL	9405	30000.00	1 N
SAUCERGENXADVPROHBP200WLED757PNBBORL	9405	30500.00	1 N

Note: Dimmable, Occupancy Sensor, Lux sensor, Warm white, LILO - variants available upon request.



### BAYBRITE FLARE HIGHBAY

Baybrite Flare is a special designed, multi- functional LED luminaire to replace Industrial Low- bay.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BAYBRITEFLAREHB120WLED757APWBBOLTG	9405	16500.00	2 N



# Industrial LED Luminaires

## HIGHBAY LIGHTING / WELL GLASS

### PARABELLO HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100 lm/W) with toughened glass.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PARABELLOHBP80WLED857PBOTG	9405	11000.00	4 N
PARABELLOHBP100WLED857PBOTG	9405	12000.00	4 N
PARABELLOHBP120WLED857PBOTG	9405	13500.00	4 N
PARABELLOHBP200WLED857PTOTG	9405	18900.00	1 N

Note: Lens variants available upon request.



### GAZELLA HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100 lm/W) with toughened glass.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GAZELLAHBP80WLED857PBOPC	9405	10000.00	6 N
GAZELLAHBP100WLED857PBOTG	9405	12570.00	1 N
GAZELLAHBP120WLED857PBOTG	9405	13920.00	1 N
GAZELLAHBP150WLED857PBOTG	9405	15270.00	1 N



### STUPE WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STUPEWGP30WLED757SSYMTOPCGRY	9405	3500.00	6 N
STUPEWGP35WLED757SSYMTOPCGRY	9405	4000.00	6 N
STUPEWGP40WLED757SSYMTOPCGRY	9405	5000.00	6 N

Note: Warm white variant available upon request.



### ENDURA WELL GLASS GENX 70 W

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURAWELLGLASSGENXP70WLED757PPC	9405	9600.00	6 N





### ALTEZA WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, pressure die-cast aluminium housing and control gear compartment well glass luminaires with LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ALTEZAWGS40WLED865SSYMTOPC	9405	4500.00	6 N

Note: 30 W/35 W available upon request.



### HEXA 10 W - IP66

Environmental friendly, ultra modern, energy saving, surface mounted, decorative hexagon bulk head Back-lit LED luminaire comprising of high brightness LEDs.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
HEXAFT10WLED857SSYMBOPC	9405	2000.00	8 N

Note: Warm white variant available upon request.



### RUGBY GENX 10

Designed with beautiful aesthetics using new generation technology in LED to enliven your outdoor and indoor areas in perfect synchronization with functionality and aesthetics. Family of bulkhead Lights designed to complement the geometry of the area with modern design.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RUGBYGENXF10WLED865SSYMBOPC	9405	1650.00	12 N

Note: Warm white variant available upon request.



### MAGNUM GRAND NEO

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDNEOIP6620WLED857SPC	9405	5000.00	6 N
MAGNUMGRANDNEOIP6636WLED857SPC	9405	6000.00	6 N
MAGNUMGRANDNEOIP6640WLED857SPC	9405	6250.00	6 N

Note: Dimmable - variants available upon request.



### MAGNUM GRAND PWB (with emergency back-up)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, Emergency Battery Back-up, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDPWBIP6620WLED857SPC	9405	14000.00	6 N
MAGNUMGRANDPWBIP6636WLED857SPC	9405	14500.00	6 N
MAGNUMGRANDPWBIP6640WLED857SPC	9405	16000.00	6 N





# Industrial LED Luminaires

WEATHER PROOF / CLEAN ROOM

## MAGNUM RETRO (Single Side Connection)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface/suspended mounting luminaire with PC housing and linear ribbed PC cover for glare free light, suitable for T8 LED Tube with single side connection.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMRETROILS1X18PC	9405*	3000.00	6 N
MAGNUMRETROILS2X18PC	9405*	4000.00	6 N



## MAGNUM GRAND GOLD

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDGOLD20WLED857SPC	9405	4000.00	12 N
MAGNUMGRANDGOLD36WLED857SPC	9405	4500.00	12 N
MAGNUMGRANDGOLD40WLED857SPC	9405	5000.00	12 N



## LED CLEAN ROOM BOTTOM OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Bottom Opening luminaire for hygienic facilities.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BOCR1X1R18WLED857SPCMSEXEXE	9405	6500.00	2 N
BOCR2X2R36WLED857SPCMSEXEXE	9405	10000.00	2 N
BOCR2X2R42WLED857SPCMSEXEXE	9405	10500.00	2 N
BOCR2X2R60WLED857SPCMSEXEXE	9405	13000.00	2 N
BOCR2X2R80WLED857SPCMSEXEXE	9405	13500.00	2 N

Note: SS, Screwless, 2x1, additional features – variants available upon request.



## LED CLEAN ROOM TOP OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Top Opening luminaire for hygienic facilities.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TOCR1X1R18WLED857SPCMSEXEXE	9405	7000.00	2 N
TOCR2X2R36WLED857SPCMSEXEXE	9405	11500.00	2 N
TOCR2X2R42WLED857SPCMSEXEXE	9405	12000.00	2 N
TOCR2X2R60WLED857SPCMSEXEXE	9405	14112.00	2 N
TOCR2X2R80WLED857SPCMSEXEXE	9405	14336.00	2 N

Note: SS, Screwless, 2x1, additional features – variants available upon request.





# Outdoor LED Luminaires

Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

### ENDURA SUNDOWN

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL25WLED765PASYBOPC	9405	3200.00	8 N
ENDURASUNDOWNSL30WLED757PASYBOPC	9406	3584.00	8 N
ENDURASUNDOWNSL35WLED765PASYBOPC	9406	4500.00	8 N
ENDURASUNDOWNSL40WLED765PASYBOPC	9405	5040.00	8 N
ENDURASUNDOWNSL45WLED765PASYBOPC	9405	6000.00	8 N

Suitable for pole dia Ø 42 mm (max.)



### ENDURA SUNDOWN

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL100 WLED765PASYBOPC	9406	13000.00	6 N
ENDURASUNDOWNSL120 WLED765PASYBOPC	9405	16000.00	6 N

Suitable for pole dia Ø 54 mm (max.)



### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens with Toughened Glass having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL25WLED765PASYBOTGIHD	9405	3800.00	8 N
ENDURASUNDOWNSL45WLED765PASYBOTG	9405	6800.00	8 N

Suitable for pole dia Ø 42 mm (max.)



### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and Toughened glass having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL60WLED765PASYBOTG	9405	7280.00	6 N
ENDURASUNDOWNSL70WLED765PASYBOTG	9405	8064.00	6 N
ENDURASUNDOWNSL72WLED765PASYBOTG	9405	8500.00	6 N
ENDURASUNDOWNSL90 WLED765PASYBOTG	9405	13000.00	6 N
ENDURASUNDOWNSL100 WLED765PASYBOTG	9405	14500.00	6 N
ENDURASUNDOWNSL120 WLED765PASYBOTG	9405	16000.00	6 N

Suitable for pole dia Ø 54 mm (max.)



# Outdoor Luminaires

## STREET LIGHTS

### ENDURA SUNBEAM

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07. Available in CCT 5700 k & 3000K

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL25WLED757SASYBOPC	9405	3200.00	-
ENDURASUNBEAMSL30WLED757SASYBOPC	9405	3500.00	-

Suitable for pole dia Ø 42 mm (max.) for 25 W, 30 W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL45WLED757SASYTOPC	9405	4800.00	-
ENDURASUNBEAMSL60WLED757SASYTOPC	9405	7400.00	6 N
ENDURASUNBEAMSL70WLED757SASYTOPC	9405	7600.00	6 N
ENDURASUNBEAMSL72WLED757SASYTOPC	9405	7700.00	6 N

Suitable for pole dia Ø 43 mm (max.) for 45 W.  
Suitable for pole dia Ø 41 mm (max.) for 60 W, 70 W, 72 W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL80WLED757SASYTOPC	9405	9000.00	-
ENDURASUNBEAMSL90WLED757SASYTOPC	9405	10000.00	4 N

Suitable for pole dia Ø 56 mm (max.) for 80 W, 90 W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL100WLED757SASYTOPC	9405	11000.00	4 N
ENDURASUNBEAMSL110WLED757SASYTOPC	9405	12500.00	2 N
ENDURASUNBEAMSL120WLED757SASYTOPC	9405	13000.00	2 N

Suitable for pole dia Ø 51 mm (max.) for 100 W.  
Suitable for pole dia Ø 58.5 mm (max.) for 110 W, 120 W.

### ENDURA SUNBEAM SENSOR

Sensor based 45 watt street light .

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL45WLED757SASYTOPCSENSO	9405	7500.00	-

Suitable for pole dia Ø 43 mm (max.).  
Also available in 25 W, 30 W, 60 W, 70 W, 90 W and 120 W on request





### ENDURA PEARL MAGNUM PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PEARLMAGPGENXSL170WLED757PASYTOPCHEEWTX	9405	22000.00	2 N
PEARLMAGPGENXSL180WLED757PASYTOPCHEEWTX	9405	22500.00	2 N
PEARLMAGPGENXSL190WLED757PASYTOPCHEEWTX	9405	25000.00	2 N
PEARLMAGPGENXSL200WLED757PASYTOPCHEEWTX	9405	28000.00	2 N
PEARLMAGPGENXSL210WLED757PASYTOPCHEEWTX	9405	32000.00	2 N
PEARLMAGPGENXSL250WLED757PASYTOPCHEEWTX	9405	38000.00	2 N

Suitable for pole dia Ø 60 mm (max.)

### ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURAPEARLPLUSL120WLED757PASYTOPCLC	9405	14000.00	6 N
ENDURAPEARLPLUSL150WLED757PASYTOPCLC	9405	17000.00	6 N

Suitable for pole dia Ø 54 mm (max.)



# Outdoor Luminaires

## CANOPY FIXTURE / PIT LIGHTS

### FLARE ULTIMA

Flare Ultima is specially designed, multi-functional LED luminaire to replace under canopy.


Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLAREULTIMACA80WLED757PWBLTG	9405	11000.00	1 N
FLAREULTIMACA100WLED757PWBLTG	9405	12650.00	1 N
LSPAREASSEMPOWCOATFRAME375X375X1 FU	9405	1400.00	1 N
ASSEMBLEDPOWCOATFRAME600X600X1 FU	9405	2000.00	1 N



### GLINT

Linear Canopy is a special, multi-functional LED luminaire designed to replace traditional square under canopy lights in fuel bunkers.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GLINTCAR80WLED857PIWBTOLTG	9405	33000.00	1 N
GLINTCARWS80WLED857PIWBTOLPC	9405	31000.00	1 N



### JETA TRENCH

Pit Lights are industrial luminaires specifically designed for service pits. Havells pit light is a fusion of engineering and modern design to provide beautiful aesthetics, durability and high lumen output.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETATRENCHFTS20WLED757PBOPC48V	9405	6600.00	1 N
JETATRENCHFTS20WLED757PBOPC	9405	7000.00	1 N



# Outdoor LED Luminaires

## FLOOD LIGHTS

### JETA LEGANZA

Energy saving, environmental friendly, long life, die cast aluminium housing with LEDs as light source, suitable for highlighting architectural features or area lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETALEGANZAFLS30WLED757P60DTOTG	9405	5400.00	1 N
JETALEGANZAFLS30WLED730P60DTOTG	9405	5400.00	1 N
JETALEGANZAFLS50WLED757P60DTOTG	9405	6700.00	1 N
JETALEGANZAFLS50WLED730P60DTOTG	9405	6700.00	1 N
JETALEGANZAFLS70WLED757P60DTOTG	9405	7000.00	1 N
JETALEGANZAFLS70WLED730P60DTOTG	9405	7400.00	1 N
JETALEGANZAFLS60WLED757P60DTOTG	9405	8100.00	1 N
JETALEGANZAFLS60WLED730P60DTOTG	9405	8300.00	1 N
JETALEGANZAFLS80WLED757P60DTOTG	9405	8400.00	1 N
JETALEGANZAFLS80WLED730P60DTOTG	9405	8700.00	1 N
JETALEGANZAFLS100WLED757P60DTOTG	9405	9400.00	1 N
JETALEGANZAFLS100WLED730P60DTOTG	9405	9700.00	1 N
JETALEGANZAFLS120WLED757P60DTOTG	9405	10300.00	1 N
JETALEGANZAFLS120WLED730P60DTOTG	9405	10600.00	1 N
JETALEGANZAFLS150WLED757P60DTOTG	9405	12800.00	1 N
JETALEGANZAFLS150WLED730P60DTOTG	9405	13200.00	1 N
JETALEGANZAFLS200WLED757P60DTOTG	9405	17100.00	1 N
JETALEGANZAFLS200WLED730P60DTOTG	9405	17500.00	1 N



### JETA ADORN

New generation energy saving & environmental friendly, long life, pressure die - cast aluminium housing Flood Light with PC diffused lens enclosure over LED for glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAADORNFLS30WLED757SSYMTOTG	9405	2200.00	4 N
JETAADORNFLS050WLED757PR1SYMTOTG	9405	4000.00	2 N
JETAADORNFLS70WLED757SSYMTOTG	9405	4700.00	2 N
JETAADORNFLS100WLED757PR1SYMTOTG	9405	6400.00	2 N
JETAADORNFLS120WLED757SSYMTOTG	9405	7200.00	2 N
JETAADORNFLS150WLED757SSYMTOTG	9405	9000.00	2 N
JETAADORNFLS200WLED757PR1SYMTOTG	9405	13300.00	1 N
JETAADORNFLS250WLED757PSYMTOTG	9405	18000.00	1 N
JETAADORNNTFLS30WLED757P60DTOTG	9405	4500.00	4 N
JETAADORNNTFLS50WLED757P60DTOTG	9405	5600.00	2 N
JETAADORNNTFLS70WLED757P60DTOTG	9405	7000.00	2 N
JETAADORNNTFLS100WLED757P60DTOTG	9405	9300.00	1 N
JETAADORNNTFLS120WLED757P60DTOTG	9405	9900.00	2 N
JETAADORNNTFLS150WLED757P60DTOTG	9405	12400.00	2 N
JETAADORNNTFLS200WLED757P60DTOTG	9405	15500.00	1 N
JETAADORNNTFLS250WLED757P60DTOTG	9405	19000.00	1 N



# Outdoor LED Luminaires

## FLOOD LIGHTS

### RESOLUTE

Resolute is a revolutionary design for area lighting applications with less weight and superior performance parameters. An energy saving, environment friendly design made of die-cast aluminium with high efficient LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETARESOLUTEFLS250WLED75760DTOTG	9405	29900.00	1 N
JETARESOLUTEFLS250WLED75730DTOTG	9405	29900.00	1 N
JETARESOLUTEFLS400W2MLED75760DTOTG	9405	58000.00	1 N
JETARESOLUTEFLS400W2MLED75730DTOTG	9405	58000.00	1 N
JETARESOLUTEFLS500W2MLED75760DTOTG	9405	66400.00	1 N
JETARESOLUTEFLS500W2MLED75730DTOTG	9405	66400.00	1 N
JETARESOLUTEFLS1000W4M857MOD10DTOTG	9405	114000.00	1 N
JETARESOLUTEFLS1000W4M857MOD30DTOTG	9405	114000.00	1 N
JETARESOLUTEFLS1000W4M857MOD60DTOTG	9405	114000.00	1 N
ASSEMBLEDCGBOXVALOUR500WP	9405	32200.00	1 N

(2 Nos. required for each 1000W FL)



### JETA IRIS ALPHA

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAIRISALPHAFL200WLED857PBOLTG	9405	18200.00	1 N
JETAIRISALPHAFL250WLED757APLTG	9405	22000.00	1 N
JETAIRISALPHAFL300WLED757PLTG	9405	29000.00	1 N



### JETA IRIS MAX

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAIRISMAXFL180WLED757PWBLTG	9405	25300.00	1 N
JETAIRISMAXFL200WLED757PWBLTG	9405	25700.00	1 N
JETAIRISMAXFL250WLED757PWBLTG	9405	29900.00	1 N
JETAIRISMAXFL300WLED757PNBLTG	9405	43700.00	1 N
JETAIRISMAXFL300WLED757PWBLTG	9405	43700.00	1 N



# Outdoor LED Luminaires

## FLOOD LIGHTS

### JETA VALOUR FL INT P 180 W/ 200 W/ 300 W / 350 W / 400 W / 500 W

Energy saving, environment friendly, long life, exclusive innovative die-cast aluminium flood light with highly efficient LEDs as light source, suitable for highlighting architectural features.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAVALOURFL180WLED757PINTNBLTG	9405	29700.00	1 N
JETAVALOURFL180WLED757PINTWBLTG	9405	29700.00	1 N
JETAVALOURFL200WLED757PINTNBLTG	9405	31200.00	1 N
JETAVALOURFL200WLED757PINTWBLTG	9405	31200.00	1 N
JETAVALOURLEFL300W2MLED757PINTNMBLTG	9405	42900.00	1 N
JETAVALOURLEFL300W2MLED757PINTMBLTG	9405	42900.00	1 N
JETAVALOURLEFL350W2MLED757PINTNMBLTG	9405	49000.00	1 N
JETAVALOURLEFL350W2MLED757PINTMBLTG	9405	49000.00	1 N
JETAVALOURLEFL400W3MLED757PINTNMBLTG	9405	58700.00	1 N
JETAVALOURLEFL400W3MLED757PINTMBLTG	9405	58700.00	1 N
JETAVALOURLEFL500W4MLED757PINTNMBLTG	9405	67900.00	1 N
JETAVALOURLEFL500W4MLED757PINTMBLTG	9405	67900.00	1 N





# Outdoor LED Luminaires

## LANDSCAPE LIGHTS

### TYCOON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TYCOONPT70WLED757PSYMTOPC	9405	47500.00	1 N
TYCOONPT70WLED730PSYMTOPC	9405	47500.00	1 N

Suitable for pole dia Ø 76 mm



### BARON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BARONPT70WLED757PSYMTOPC	9405	43500.00	1 N
BARONPT70WLED730PSYMTOPC	9405	43500.00	1 N

Suitable for pole dia Ø 76 mm



### VICTORIA LED POST TOP

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. IP66 Family of post top lantern designed to complement the geometry of the area.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VICTORIAPT35WLED757PSYMTOTG	9405	34000.00	1 N
VICTORIAPT35WLED730PSYMTOTG	9405	34000.00	1 N
VICTORIAPT50WLED730PSYMTOTG	9405	41000.00	1 N
VICTORIAPT50WLED757PSYMTOTG	9405	41000.00	1 N

Suitable for pole dia Ø 76 mm



### SPRING 6 LED POST TOP

New generation IP 65 LED post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape luminaire with high power COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASPRING6PT35WLED757PSYMTOTG	9405	28500.00	2 N
ENDURASPRING6PT35WLED740PSYMTOTG	9405	28500.00	2 N

Suitable for pole dia Ø 76 mm



### RINK LED POST TOP

Circular LED post-top offering excellent uniform illumination and aesthetics in one go. Made up of Pressure Die Cast aluminium body and opal PC cover. IP 66 and IK 07 rating ensures it stands tall amid varied environmental conditions.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RINKPT45WLED757PSYMTOPC	9405	22000.00	1 N
RINKPT60WLED757PSYMTOPC	9405	25000.00	1 N

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ



### JUPITER LED POST TOP

Aesthetically designed IP 65 LED post top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibits classic Victorian look with symmetrical light distribution and excellent heat dissipation for long life.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JUPITERMAXIPT50WLED830PSYMTOPC	9405	15750.00	1 N
JUPITERMAXIPT50WLED757PSYMTOPC	9405	15750.00	1 N
JUPITERMAXIPT70WLED830PSYMTOPC	9405	17850.00	1 N
JUPITERMAXIPT70WLED757PSYMTOPC	9405	17850.00	1 N

Suitable for pole dia Ø 76 mm



### RUBY LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Clear Cover offers bright illumination for different applications.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RUBYMINIPT15WLED830PSYMTOPC	9405	6500.00	1 N
RUBYMINIPT15WLED757PSYMTOPC	9405	6500.00	1 N
RUBYPT25WLED830SSYMTOPC	9405	9100.00	1 N
RUBYPT25WLED757SSYMTOPC	9405	9100.00	1 N
RUBYPT35WLED830PSYMTOPC	9405	10900.00	1 N
RUBYPT35WLED757PSYMTOPC	9405	10900.00	1 N
RUBYPT40WLED757PSYMTOPC	9405	11500.00	1 N
RUBYPT40WLED830PSYMTOPC	9405	11500.00	1 N
RUBYPT40WLED757PSYMTOPC	9405	11500.00	1 N
RUBYPT45WLED757PSYMTOPC	9405	13000.00	1 N
RUBYMAXIPT50WLED830PSYMTOPC	9405	13500.00	1 N
RUBYMAXIPT50WLED757PSYMTOPC	9405	13500.00	1 N
RUBYMAXIPT70WLED830PSYMTOPC	9405	16500.00	1 N
RUBYMAXIPT70WLED757PSYMTOPC	9405	16500.00	1 N

Suitable for pole dia Ø 50 mm for 15 W  
Suitable for pole dia Ø 76 mm for 25 W/35 W/40 W/45 W/50 W/70 W



### CORAL LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Opal Cover offers soothing uniform illumination for different applications.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CORALMINIPT15WLED830PSYMTOPC	9405	6500.00	1 N
CORALMINIPT15WLED757PSYMTOPC	9405	6500.00	1 N
CORALPT25WLED830SSYMTOPC	9405	9100.00	1 N
CORALPT25WLED757PSYMTOPC	9405	9100.00	1 N
CORALPT35WLED830PSYMTOPC	9405	10900.00	1 N
CORALPT35WLED757PSYMTOPC	9405	10900.00	1 N
CORALPT45WLED757PSYMTOPC	9405	13000.00	1 N
CORALMAXIPT50WLED830PSYMTOPC	9405	13500.00	1 N
CORALMAXIPT50WLED757PSYMTOPC	9405	13500.00	1 N
CORALMAXIPT70WLED830PSYMTOPC	9405	16500.00	1 N
CORALMAXIPT70WLED757PSYMTOPC	9405	16500.00	1 N

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/45 W/50 W/70 W



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### NEBULA LED POST TOP

Stellar LED post-top offering combination of sturdy design, excellent illumination and aesthetics in one go. IP 66 and IK 10 rating ensures it stands tall amid varied environmental conditions.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
NEBULAPT40WLED857PSYMTOPC	9405	13000.00	1 N
NEBULAPT40WLED857PSYMTOPCO	9405	13000.00	1 N
NEBULAPT60WLED857PSYMTOPC	9405	16000.00	1 N
NEBULAPT60WLED857PSYMTOPCO	9405	16000.00	1 N

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ




### IRVINE – SPIKE LIGHT

Environmental friendly, compact, light weight, energy saving, IP66 LED spike light using COB LED as light source. Offered in Mono – Red, Green, Blue and Warm White Colour. Multi purpose application like column lighting, tree up-lighting, statue accentuation etc. can be addressed with ease.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
IRVINESP5WLED830PSYMTG	9405	3200.00	4 N
IRVINESP5WLEDREDPSYMTG	9405	3800.00	4 N
IRVINESP5WLEDGRNPSYMTG	9405	3800.00	4 N
IRVINESP5WLEDBLUPSYMTG	9405	3800.00	4 N

For mounting info refer TDS. Spike is part of std. packaging



### CLIO LED WALL LIGHT

Environmental friendly, new generation, energy saving, decorative IP 66 LED UP-down Luminaire with wall surface mounting using COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CLIOILL15WLED730PSYMTOTUG	9405	8200.00	4 N
CLIOWLS15WLED830PSYMTOTG	9405	8500.00	4 N
CLIOWLS25WLED830PSYMTOTG	9405	10500.00	4 N

For mounting info refer TDS



### LYCUS LED SPIKE LIGHT

Environmental friendly, new generation, energy saving, decorative IP66 LED spike light using COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LYCUSSPS9WLED730PSYMBOTG	9405	6500.00	4 N
LYCUSSPS15WLED730PSYMBOTG	9405	7750.00	4 N
LYCUSSPS25WLED730PSYMBOTG	9405	9250.00	4 N

For mounting info refer TDS



### RADIANT LED STEP LIGHT

Environmental friendly, new generation, energy saving, decorative rectangular shaped IP66 LED step light for wall recessed application.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RADIANTFTR07WLED830PSYMTOPC	9405	3600.00	16 N

For mounting info refer TDS



### DECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DECO POLE 3M TOP Ø 76 MM	7308	27000.00	1 N
DECO POLE 3.5M TOP Ø 76 MM	7308	30500.00	1 N
DECO POLE 4M TOP Ø 76 MM	7308	34000.00	1 N
DECO POLE 6M TOP Ø 76 MM	7308	49000.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### ECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole. Decorative sleek casting ring to increase aesthetical appeal.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ECO POLE 3M TOP Ø 76 MM	7308	24000.00	1 N
ECO POLE 4M TOP Ø 76 MM	7308	30000.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### BASE COVER

Aesthetically designed decorative pole base cover, enhancing the appearance of the pole.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STARK Decorative Pole Base Cover	7308	8500.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### BAMBOO LED BOLLARD

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape IP 65 luminaire for diffused lighting with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BAMBOOBSL8WLED830PSYMTOPC	9405	6500.00	4 N
BAMBOOBSL8WLED857PSYMTOPC	9405	6500.00	4 N
BAMBOOBSL8WLED830SSYMTOPCM	9405	8500.00	4 N
BAMBOOBSL8WLED857SSYMTOPCM	9405	8500.00	4 N

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### CONE LED BOLLARD

IP 65 Cone series acts as an imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion adds functional value into landscape environment.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONEBLS8WLED830PSYMTOPC	9405	6900.00	4 N
CONEBLS8WLED857PSYMTOPC	9405	6900.00	4 N
CONEBL8WLED830PSYMTOPCM	9405	9400.00	4 N
CONEBLS8WLED857PSYMTOPCM	9405	9400.00	4 N

For mounting info refer TDS



### CONE NXG LED BOLLARD

Cone NXG series acts as an imposing street furniture with touch of aesthetic. Innovative design with uniformly lit diffuser at the upper portion acts a beacon of path guidance in a landscape environment with robust IP 65 rating.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONENXGBLS8WLEDPSYM830TOPC	9405	7500.00	4 N
CONENXGBLS8WLEDPSYM857TOPC	9405	7500.00	4 N
CONENXGBLS8WLEDPSYM830TOPCM	9405	10500.00	4 N
CONENXGBLS8WLEDPSYM857TOPCM	9405	10500.00	4 N

For mounting info refer TDS



### MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MOUNTBL10WLED830PSYMTOPMMA	9405	9500.00	4 N
MOUNTBL10WLED857PSYMTOPMMA	9405	9500.00	4 N
MOUNTBL10WLED830PSYMTOPMMAM	9405	10900.00	4 N
MOUNTBL10WLED857PSYMTOPMMAM	9405	10900.00	4 N

For mounting info refer TDS



### MINI MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its sleek PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MINIMOUNTBL10WLED830PSYMTOPMMAS	9405	6750.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAS	9405	6750.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMA	9405	9500.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMA	9405	9500.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMAM	9405	10900.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAM	9405	10900.00	4 N

For mounting info refer TDS





### UFO LED BOLLARD

Contemporary UFO shape design IP 65 LED bollard with minimum upward light component, ensuring excellent distribution and high system lumen efficacy.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UFOBLS10WLED830PSYMTOPC	9405	9500.00	4 N
UFOBLS10WLED857PSYMTOPC	9405	9500.00	4 N
UFOBLS10WLED830PSYMTOPCM	9405	10900.00	4 N
UFOBLS10WLED857PSYMTOPCM	9405	10900.00	4 N

For mounting info refer TDS



### TURIN LED BOLLARD

Unique concept LED Bollard in IP 66 to ensure sustainable performance in all sections and aesthetics which keeps the surrounding lively.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TURINBLS10WLED830PSYMTOPC	9405	10000.00	4 N
TURINBLS10WLED857PSYMTOPC	9405	10000.00	4 N

For mounting info refer TDS. Option of 3000K CCT is available against MOQ



### CROSSWAY

A light fixture which ensures safety to pedestrians on the Zebra Crossings on important and busy intersections of a City. IP 66 and PDC body for superb performance for long time.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CROSSWAYSLS150WLED722PASYTOTGWH	9405	21300.00	2 N
CROSSWAYSLS150WLED730PASYTOTGWH	9405	21300.00	2 N
CROSSWAYSLS150WLED757PASYTOTGWH	9405	21300.00	2 N

Suitable for side entry thru arm OD 40 mm - 60 mm



### GRANDEUR LED LIGHT COLUMN

LED Light Column spreads uniform lighting all around the pathway. Offered in 3 m and 4 m height in cylindrical shape.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GRANDEURCLS36W830PSYMBOPC	9405	45000.00	1 N
GRANDEURCLS36W857PSYMBOPC	9405	45000.00	1 N
GRANDEURCLS72W830PSYMBOPC	9405	68500.00	1 N
GRANDEURCLS72W857PSYMBOPC	9405	68500.00	1 N

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### EROS LED POST TOP

Aesthetically designed IP 66 LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibiting classic Victorian look with symmetrical light distribution, suspended mounting arrangement and excellent heat dissipation for long life.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EROSPT72WLED730PSYMTOPC	9405	30000.00	1 N
EROSPT72WLED757PSYMTOPC	9405	30000.00	1 N
EROSPT90WLED730PSYMTOPC	9405	34500.00	1 N
EROSPT90WLED757PSYMTOPC	9405	34500.00	1 N
EROSPT120WLED730PSYMTOPC	9405	41000.00	1 N
EROSPT120WLED757PSYMTOPC	9405	41000.00	1 N

For mounting info refer TDS



### BUDZ SOLAR LED BOLLARD

IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BUDZ 1 W 5700 K Solar Bollard Light	8541	8900.00	6 N

For mounting info refer TDS



### VILLA SOLAR LED GATE LIGHT

IP65 LED Solar pillar light with built-in Solar panel, LED Light and Lithium battery with charge controller.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VILLA 1 W 5700 K Solar Gate Light	8541	8000.00	12 N

For mounting info refer TDS



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit S Round Arm for Pole	7308	14000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit D Round Arm for Pole	7308	25000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit Plus S Round Arm for Pole	7308	18000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit Plus D Round Arm for Pole	7308	34000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS CASTING POLES

Family of Decorative Casting poles in different designs, shaped and heights to compliment the EROS LED Post Top family. These poles can infuse life into roads of high importance and visibility.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EROSPOLET01025M	9405	46900.00	1 N
EROSPOLET01035M	9405	56280.00	1 N
EROSPOLET01060M	9405	73700.00	1 N
For mounting info refer TDS. Ask sales person for more details			



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### EROS CASTING POLES

Family of Decorative Casting poles in different designs, shaped and heights to compliment the EROS LED Post Top family. These poles can infuse life into roads of high importance and visibility.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EROSPOLET03030M	9405	30820.00	1 N
EROSPOLET03040M	9405	36180.00	1 N
EROSPOLET03060M	9405	50920.00	1 N
EROSPOLET03080M	9405	68340.00	1 N

For mounting info refer TDS. Ask sales person for more details



# Outdoor LED Luminaires

## SOLAR LANDSCAPE LIGHTS

### FIORIO SOLAR LED POST TOP

IP65 LED Solar post top with built-in Solar panel, LED light and Lithium battery with charge controller and Remote Control to select 32 lighting mode.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FIORIO 20 W 5700 K Solar Post Top For mounting info refer TDS	8541	51000.00	2 N



### MANOR SOLAR LED POST TOP

IP65 LED Solar post top with built-in Solar panel, LED light and Lithium battery with charge controller and 2 PIR sensors with 360° coverage.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MANOR 20 W 5700 K Solar Post Top For mounting info refer TDS	8541	49000.00	1 N







### SKILINE PLUS

High power color changing & monochromatic LED projector for super distance lighting with Intelligent logarithmic control technology.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SKILINE PLUS 600 W DMX	9405	On Request	1 N
SKILINE PLUS 600 W	9405	On Request	1 N
SKILINE PLUS 500 W DMX	9405	On Request	1 N
SKILINE PLUS 500 W	9405	On Request	1 N
SKILINE PLUS 400 W DMX	9405	On Request	1 N
SKILINE PLUS 400 W	9405	On Request	1 N
SKILINE PLUS 300 W DMX	9405	On Request	1 N
SKILINE PLUS 300 W	9405	On Request	1 N
SKILINE PLUS 200 W DMX	9405	On Request	1 N
SKILINE PLUS 200 W	9405	On Request	1 N



### RANGER

Excellency steered color changing & monochromatic LED projector with unique design, delivering rich & saturated colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RANGER 120 W DMX	9405	On Request	1 N
RANGER 120 W	9405	On Request	1 N
RANGER 90W DMX	9405	On Request	1 N
RANGER 90 W	9405	On Request	1 N
RANGER 70 W DMX	9405	On Request	1 N
RANGER 70 W	9405	On Request	1 N
RANGER 45 W DMX	9405	On Request	1 N
RANGER 45 W	9405	On Request	1 N
RANGER 30 W DMX	9405	On Request	1 N
RANGER 30 W	9405	On Request	1 N
RANGER 22 W DMX	9405	On Request	1 N
RANGER 22 W	9405	On Request	1 N



### COMPASS

High light intensity empowered color changing & monochromatic compact LED projector with polarized light design & intelligent logarithmic control technology.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
COMPASS 180 W DMX	9405	On Request	1 N
COMPASS 180 W	9405	On Request	1 N
COMPASS 150 W DMX	9405	On Request	1 N
COMPASS 150 W	9405	On Request	1 N
COMPASS 130 W DMX	9405	On Request	1 N
COMPASS 130 W	9405	On Request	1 N
COMPASS 85 W DMX	9405	On Request	1 N
COMPASS 85 W	9405	On Request	1 N
COMPASS 40 W DMX	9405	On Request	4 N
COMPASS 40 W	9405	On Request	4 N
COMPASS 28 W DMX	9405	On Request	4 N
COMPASS 30 W	9405	On Request	4 N
COMPASS 23 W DMX	9405	On Request	4 N
COMPASS 23 W	9405	On Request	4 N



# Outdoor Luminaires

## COLORSCAPE LIGHTS

### MARINA

High light intensity empowered color changing & monochromatic LED under water fountain light with polarized light design & intelligent logarithmic control technology.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MARINALUMO MINI	9405	On Request	8 N
MARINALUMO MIDI	9405	On Request	8 N
MARINALUMO MAXI	9405	On Request	8 N
MARINASHINE MINI	9405	On Request	8 N
MARINASHINE MIDI	9405	On Request	8 N
MARINASHINE MAXI	9405	On Request	8 N

External driver to be ordered separately



### LINEATE INT

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LINEATE INT 80 W DMX	9405	On Request	3 N
LINEATE INT 80 W	9405	On Request	3 N
LINEATE INT 60 W DMX	9405	On Request	3 N
LINEATE INT 60 W	9405	On Request	3 N
LINEATE INT 40 W DMX	9405	On Request	3 N
LINEATE INT 40 W	9405	On Request	3 N

1 m Length.



### LINEATE

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LINEATE 40 W DMX	9405	On Request	3 N
LINEATE 40 W	9405	On Request	3 N
LINEATE 24 W DMX	9405	On Request	3 N
LINEATE 24 W	9405	On Request	3 N
LINEATE 12 W DMX	9405	On Request	3 N
LINEATE 12 W	9405	On Request	3 N

1 m Length for 40 W, 24 W. 50 cm Length for 12 W. External driver to be ordered separately



### ENGROSS

Color changing & monochromatic buried uplighter ideal for uplighting facades, columns & features with multiple optics & extensive pallet of colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENGROSS 40 W DMX	9405	On Request	1 N
ENGROSS 40 W	9405	On Request	1 N
ENGROSS 28 W DMX	9405	On Request	1 N
ENGROSS 30 W	9405	On Request	1 N
ENGROSS 16 W DMX	9405	On Request	1 N
ENGROSS 16 W	9405	On Request	1 N
ENGROSS 13 W	9405	On Request	1 N





# Outdoor LED Luminaires

## COLORSCAPE LIGHTS

### JETA QUANTO PLUS

Mono colour flood light luminaire offered in Mono – Red, Green, Blue and Warm White Colour. Pressure Die Cast aluminium body and Clear PC cover, and standard beam angle of 30Deg. Aesthetic consistency in multi purpose application like column lighting, tree up-lighting, statue accentuation etc.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAQUANTOPLUSFLS50WLEDREDP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLEDBLUEP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLEDGREENP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLED730P30DPC	9405	8500.00	10 N

For mounting info refer TDS



### ADORN

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ADORN 6 W	9405	On Request	8 N

External driver to be ordered separately



### ADORN MINI

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ADORN MINI 2 W	9405	On Request	24 N

External driver to be ordered separately



### FLEXISTRIP

IP 67 rated flexible LED strip to add great color & dramatic effects with extensive pallet of colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIP 36 W DMX	9405	On Request	1 N
FLEXISTRIP 36 W	9405	On Request	1 N
FLEXISTRIP 72 W DMX	9405	On Request	1 N
FLEXISTRIP 72 W	9405	On Request	1 N

5 m Length. External driver to be ordered separately



### DMX CONTROLLER

The Stand Alone DMX 512 controller can be used to control a wide variety of different DMX systems from RGB/RGBW to more advanced moving and color mixing luminaires, DMX audio players and fountains. The dual channel DMX 512 controller comes with a variety of features including RTC/calendar, Ethernet facilities, dry contact port triggering, multi-zone programming and SD memory card. The lighting levels, colors and effects can be programmed from a PC using the Havells DMX software.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DMX Controller	8537	On Request	1 N



For Colorscape solution kindly consult our local branch representative as additional accessories like External Drivers, DMX Controllers, Amplifiers, IP rated Connectors, Address Writers, Channel profile etc. are to be ordered for dynamic effect lighting.





### ALL-IN-ONE SOLAR STREET LIGHT NG SERIES

NG Series AIO Solar Street Light is made with High Efficiency Mono Crystalline Solar PV Module, Lithium Ferro Phosphate battery with in-built BMS technology, High Efficacy LED, MPPT Solar Charge Controller and Aluminium Extruded body & is specially programmed to automatically control the dimming and brightness of light, which increases the backup time.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SOLAR AIO 15 W	9405	55000.00	1 N
SOLAR AIO 20 W	9405	65000.00	1 N
SOLAR AIO 24 W	9405	70000.00	1 N
SOLAR AIO 30 W	9405	90000.00	1 N
SOLAR AIO 40 W	9405	95000.00	1 N
SOLAR AIO 60 W	9405	115000.00	1 N









## GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ` (Inclusive of GST).
- All prices are subject to Havells general terms & conditions of business.
- Manufacturing warranty period is dependent on life class, application, electrical infrastructure, etc. Kindly check with Havells sales representative for product warranty details.
- Warranty is void on luminaires if:
  - Earthing is not provided.
  - Failure due to surges, high voltage, improper installation and wrong application.
- No warranty on SPD.
- Images shown here are for representation only and may vary from actual product.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

HSN Code	Products Included	GST Applicable
9405	LED Fixtures	12%
9405*	Conventional Fixtures	18%
9405	LED Driver	12%
8543	Solar Street Lights/Mini Mast	12%
7308	Galvanized products	18%
8537	DMX Controller & Accessories	18%
8539	Non-LED Lamps	18%

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, however current details should therefore be checked with Havells. Specifications and performance data are constantly changing. Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

### REGIONAL & BRANCH OFFICES:

**NORTH** - REGIONAL OFFICE: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, Delhi: Tel: 011-47676700, 23888200, Chandigarh: Tel: 0172-4232400-401, Dehradun: Tel: 0135-6670202, Haldwani: Tel: 05946-222935/222933, Noida /Haryana: Tel: 0120-3331000, Ludhiana: Tel: 0161-4676000/24, Amritsar: Tel: 0183-5202400/401, Jammu: Tel: 0191-2478330, 2479330, Sri Ganganagar: Tel: 0151-2490431, Jaipur: Tel: 0141-3914645, 3988210, Jodhpur: Tel: 0291-9214201640 / 45, Lucknow: Tel: 0522-6672100, Kanpur: Tel: 0512-6710400, 6710409

**EAST** - REGIONAL OFFICE: Tower, 4th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, Bhubaneswar: Tel: 0674-6668101/102/103/104, Guwahati: Tel: 0361-2134521, 2458923, 2460355, Siliguri: Tel: 0353-2525907, Ranchi: Tel: 0651-2244861, 2244862, 2244864, 2244868, 2244869, Jamshedpur: Tel: 0657-6542492, 09234369436, Patna: Tel: 0612-2207221, 2207222, 2207223, 2655518

**WEST** - REGIONAL OFFICE: 14th Floor, Unit No. 1405- 1408, Lodha Supremus, I- Think Techno Campus, Kanjurmarg East, Mumbai- 400 042. Tel: 022 - 67298600-601, Ahmedabad: Tel: 079-40061111, 40060738-740, Indore: Tel: 0731-2572340-41, 4009998 (Airtel), Rajkot: Tel: 0281-2481112, 2921212, Nagpur: Tel: 0712-2240932, 2242692, 2242699, Pune: Tel: 020-64016413/14, Raipur: Tel: 0771-4243400/01, Surat: Tel: 0261-2350137, 9979890137, Jabalpur: Tel: 0761-4064491, Bhopal: 0755-4271544, 0755-4011025

**SOUTH** - REGIONAL OFFICE: Khivdi Complex -1, 1st Floor No.480, Annasalai, Nandanam, Chennai - 600035 Tel: 044-42280600 / 605, Bangalore: Tel: 080-49075000, Coimbatore: Tel: 0422- 4550200 / 287, Hyderabad: Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, Cochin: Tel: 0484-4099000, Calicut: Tel: 0495-4019194, Trivandrum: Tel: 0471-4015323, Vizag: Tel: 0891-6514339, Vijayawada: Tel: +91-9247058847/57, Hubli: 09448146028

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Kolhapur • Vadodara



## A B Pal Electricals (P) Limited

**Regd. Office:** 1826, Bhagirath Palace, Chandni Chowk, Delhi-110006, India  
**Tel.:** +91-11-43-111-333, 2386-5954, 3622, 4081, 8081, **Mob.:** +91-98914-98555  
**E-Mail:** contact@abpal.com, **Website:** www.abpal.com

Scan the QR Code  
to download  
Havells mCatalogue



### Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,  
 E-mail: marketing@havells.com, www.havells.com  
 Customer Care No. 08045 77 1313

Join us on Facebook at [www.facebook.com/havells](http://www.facebook.com/havells) and share your ways to save the planet!

CIN - L31900DL1983PLC016304.



# HAVELLS