LIST PRICE



GLOSTER Gloster Cables Limited

Domestic Cables

Single Core 0.5 To 6 Sqmm Standard Packing 90/180/270 Meters

Flexible Cables

Single Core And Multi Core Standard Packing 100 meters

Flat Submersible Cables

3 Core Cables For Pump Motors



Manufacturing As Per IS 694: 2010 Standards

ISO 9001:2015



Safety Is Not Expensive. It Is Priceless!!!!!





PRICE LIST FOR DOMESTIC CABLES


90 Meters

PRICE LIST NO: GCL/DOM/NOV-2024

WITH EFFECT FROM :19/11/2024

"GLOSTER" Single Core Unsheathed TRIPLE LAYER FRUSH: HR-FRLSH+FRLSH+FRLSH
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming
To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (90 Meters)	No. Of Coils In Master Carton
0.50	0.50 16/0.20		28 Coils
0.75	24/0.20	1365	24 Coils
1.00	32/0.20	1775	16 Coils
1.50	30/0.25	2475	12 Coils
2.50	50/0.25	4095	8 Coils
4.00	4.00 56/0.30		6 Coils
6.00 84/0.30		9370	4 Coils



HSN CODE: 85446020

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping: Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.



PRICE LIST FOR DOMESTIC CABLES


180 Meters

PRICE LIST NO: GCL/DOM/NOV-2024

WITH EFFECT FROM :19/11/2024

"GLOSTER" Single Core Unsheathed TRIPLE LAYER FRUSH: HR-FRLSH+FRLSH+FRLSH
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming
To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (180 Meters)	No. Of Coils In Master Carton	
0.75	24/0.20	2730	12 Coils	
1.00	32/0.20	3550	8 Coils	
1.50	30/0.25	4950	6 Coils	
2.50	50/0.25	8190	4 Coils	
4.00	56/0.30	12590	3 Coils	
6.00	84/0.30	18740	2 Coils	



HSN CODE: 85446020

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping: Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.



PRICE LIST FOR DOMESTIC CABLES


270 Meters

PRICE LIST NO: GCL/DOM/NOV-2024

WITH EFFECT FROM :19/11/2024

"GLOSTER" Single Core Unsheathed TRIPLE LAYER FRUSH: HR-FRLSH+FRLSH+FRLSH
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming
To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (270 Meters)	No. Of Coils In Master Carton	
1.00	32/0.20	5325	6 Coils	
1.50	30/0.25	7425	4 Coils	
2.50	50/0.25	12285	3 Coils	
4.00	56/0.30	18885	2 Coils	
6.00	84/0.30	28110	2 Coils	



HSN CODE: 85446020

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana


Packing: 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping: Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.







PRICE LIST NO: GCL/FLEX/NOV-2024

WITH EFFECT FROM :19/11/2024













"GLOSTER" SINGLE CORE Unsheathed FRISH PVC Insulated Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
10.00	80/0.40	19200
16.00	126/0.40	29660
25.00	196/0.40	45955
35.00	276/0.40	63640
50.00	396/0.40	92910

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
70.00	360/0.50	129325
95.00	475/0.50	172915
120.00	608/0.50	221400
150.00	750/0.50	272895
185.00	925/0.50	339200

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
240.00	1221/0.50	443670
300.00	1525/0.50	550470
400.00	2013/0.50	740055
500.00	1769/0.50	936670
630.00	2196/0.50	1273340

2-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	3195
0.75	24/0.20	4195
1.00	32/0.20	5145
1.50	30/0.25	6650
2.50	50/0.25	10695

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
4.00	56/0.30	16875
6.00	84/0.30	24475
10.00	80/0.40	40595
16.00	126/0.40	62990
25.00	196/0.40	96695

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
35.00	276/0.40	136020
50.00	396/0.40	204530
70.00	360/0.50	277560
95.00	475/0.50	362020
120.00	608/0.50	462375

HSN CODE: 85446020

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement. This price list supercedes all our earlier price lists and is subject to change without prior notice.







PRICE LIST NO: GCL/DOM/NOV-2024

WITH EFFECT FROM :19/11/2024

3-Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	4195	4.00	56/0.30	24045	35.00	276/0.40	203745
0.75	24/0.20	5635	6.00	84/0.30	35020	50.00	396/0.40	292510
1.00	32/0.20	7020	10.00	80/0.40	58635	70.00	360/0.50	403575
1.50	30/0.25	9455	16.00	126/0.40	91900	95.00	475/0.50	532025
2.50	50/0.25	15435	25.00	196/0.40	142100	120.00	608/0.50	682575

4-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	5300	4.00	56/0.30	31730	35.00	276/0.40	264410
0.75	24/0.20	7325	6.00	84/0.30	46050	50.00	396/0.40	376860
1.00	32/0.20	8985	10.00	80/0.40	77320	70.00	360/0.50	533800
1.50	30/0.25	12600	16.00	126/0.40	119810	95.00	475/0.50	705380
2.50	50/0.25	20345	25.00	196/0.40	186355	120.00	608/0.50	928120

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement. This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com





HSN CODE: 85446020



PRICE LIST NO: GCL/FLEX/NOV-2024

WITH EFFECT FROM :19/11/2024

5 Core To 10 Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS: 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	5-Cores	6-Cores	7-Cores	8-Cores	10-Cores
0.5	16/0.20	6680	7730	9140	10310	13065
0.75	24/0.20	9305	10970	12585	14005	17905
1.00	32/0.20	11865	14110	15740	17590	22590
1.50	30/0.25	15575	18420	21745	24745	31105
2.50	50/0.25	25015	29760	34935	39850	50430
4.00	56/0.30	39335	46765	55010	62270	78940
6.00	84/0.30	57545	69260	82225	95815	126190

12 Core To 24 Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	12-Cores	14-Cores	16-Cores	19-Cores	24-Cores		
0.5	16/0.20	15230	17825	19980	23025	31060		
0.75	24/0.20	21745	24910	28985	33490	43680		
1.00	32/0.20	26500	30745	35630	42195	54900		
1.50	30/0.25	36245	42885	49055	57795	79885		
2.50	50/0.25	59840	69725	79735	93605	130495		
4.00	56/0.30	94585	108330	125070	147145	206165		
6.00	84/0.30	142850	170840	194410	230515	280275		

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement. This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com





HSN CODE: 85446020



PRICE LIST NO: GCL/FLAT/NOV-2024

WITH EFFECT FROM :19/11/2024

"GLOSTER" Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Conforming To IS: 694 As Amended Up To Date.

Size	No. Of Wires	Rate	Size	No. Of Wires	Rate	Size	No. Of Wires	Rate
(Sqmm)	Wire Dia	Per Coil	(Sqmm)	Wire Dia	Per Coil	(Sqmm)	Wire Dia	Per Co
1.50	30/0.25	9365	2.50	50/0.25	14530	4.00	56/0.30	22500

"GLOSTER" Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Generally Conforming To IS: 694 As Amended Up To Date.

Size	No. Of Wires	Rate	Size	No. Of Wires	Rate	Size	No. Of Wires	Rate
(Sqmm)	Wire Dia	Per Coil	(Sqmm)	Wire Dia	Per Coil	(Sqmm)	Wire Dia	Per Coil
6.00	84/0.30	33495	10.00	80/0.40	55580	16.00	126/0.40	85740
Size	No. Of Wires	Rate	GLOSTER 1100 V. 3 C X 2.5 SQMM			Size	No. Of Wires	Rate
(Sqmm)	Wire Dia	Per Coil				(Sqmm)	Wire Dia	Per Coil
			A STATE OF THE PARTY OF THE PAR	CLOSTED 44	00 V 2 C V 2 E COMM			

Prices For Other Sizes, Not Covered In The List Price, Will Be Provided On Request.

Safety Is Not Expensive. it Is Priceless!!!!!

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistence only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions:

Prices are exclusive of GST and other taxes.

Freight: FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing: 500/1000 meters in wooden drums. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com





HSN CODE: 85446020

A B Pal Electricals (P) Limited Regd. Office: 1826, Bhagirath Palace, Chandni Chowk, Delhi-110006, India

Tel.: +91-11-43-111-333, 2386-5954, 3622, 4081, 8081, **Mob.:** +91-98914-98555

E-Mail: contact@abpal.com, Website: www.abpal.com



