



HAVELLS

LIST PRICE

w.e.f. 19th Nov, 2024



Presenting Domestic Cable Range for Safer, Securer Homes.



**Life Line Plus S3 (HRFR) Cable - Life Guard (FR-LSH) Cable - Life Shield (HFFR) Cable
- Multicore Round Cable - Flat Submersible Cable - Shielded Cables - Telephone Switch
Board Cable - LAN Cable - CCTV Cable - Co-Axial TV Cable - Speaker Cables - Solar Cable**



1. Heat Resistant Flame Retardant
(Higher Current Carrying Capacity)



2. Anti Termite and Anti Rodent
(CPRI Certified)



3. High Insulation Resistance
(Certified by CPRI)



4. ROHS Compliant
Certified by Bureau Veritas



5. 100% Copper Conductivity



6. More than 99.95% Bare Copper Conductor



Heat Resistant Flame Retardant HRFR PVC Insulated Industrial Cables
Havells Single Core HRFR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code		List Price in ₹ per 90 m	No. of Standard packing in master carton	
0.50 sq. mm	WHFFDN...A1X50		₹ 1055.00	20 N	
0.75 sq. mm	WHFFDN...A1X75		₹ 1480.00	20 N	
1.00 sq. mm	WHFFDN...A11X0		₹ 2010.00	20 N	
1.50 sq. mm	WHFFDN...A11X5		₹ 2945.00	16 N	
2.50 sq. mm	WHFFDN...A12X5		₹ 4695.00	12 N	
4.00 sq. mm	WHFFDN...A14X0		₹ 6875.00	4 N	
6.00 sq. mm	WHFFDN...A16X0		₹ 10245.00	4 N	

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m	Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
10.00 sq. mm	WHFFDN...G1010	₹ 200400.00	120.00 sq. mm	WHFFDN...G1120	₹ 2412300.00
16.00 sq. mm	WHFFDN...G1016	₹ 315400.00	150.00 sq. mm	WHFFDN...G1150	₹ 2993700.00
25.00 sq. mm	WHFFDN...G1025	₹ 500300.00	185.00 sq. mm	WHFFDN...G1185	₹ 3650500.00
35.00 sq. mm	WHFFDN...G1035	₹ 690000.00	240.00 sq. mm	WHFFDN...G1240	₹ 4964000.00
50.00 sq. mm	WHFFDN...G1050	₹ 993100.00	300.00 sq. mm	WHFFDN...G1300	₹ 6052600.00
70.00 sq. mm	WHFFDN...G1070	₹ 1417300.00	400.00 sq. mm	WHFFDN...G1400	₹ 8034800.00
95.00 sq. mm	WHFFDN...G1095	₹ 1821900.00	-	-	-

...Fill the colour code i.e. B = Blue B.

• Colours available: Red, Yellow, Blue, Black, Green & White.

For FRLSH Insulation/Sheath, the loading factor is 3%
For HFFR Insulation/Sheath, the loading factor is 5%

Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation



Give yourself the safety of Lifeguard, the low-smoke, self-extinguishing wires



Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed)
Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.00 sq. mm	WHFFFN...A11X0	₹ 2065.00	20 N
1.50 sq. mm	WHFFFN...A11X5	₹ 3030.00	16 N
2.50 sq. mm	WHFFFN...A12X5	₹ 4835.00	12 N
4.00 sq. mm	WHFFFN...A14X0	₹ 7080.00	4 N
6.00 sq. mm	WHFFFN...A16X0	₹ 10555.00	4 N



Choose HAVELLS Wires That Don't Catch Fire or Emit Harmful Gases



Halogen Free Flame Retardant HFFR Insulated Industrial Cables
Havells Single Core copper conductor (Flexible) Industrial Cables
HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.00 sq. mm	WHFFZN...A11X0	₹ 2110.00	20 N
1.50 sq. mm	WHFFZN...A11X5	₹ 3100.00	16 N
2.50 sq. mm	WHFFZN...A12X5	₹ 4945.00	12 N
4.00 sq. mm	WHFFZN...A14X0	₹ 7225.00	4 N
6.00 sq. mm	WHFFZN...A16X0	₹ 10755.00	4 N

...Fill the colour code i.e. B = Blue .B

• Colours available: Red, Yellow, Blue, Black, Green & White.

Items generally available in stock.

Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th Nov, 2024



abpal.com

180 m



Flame Retardant FR PVC Insulated Industrial Cables
Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
0.75 sq. mm	WHFFDN...L1X757	10 N	₹ 3090.00
1.00 sq. mm	WHFFDN...L11X07	10 N	₹ 4010.00
1.50 sq. mm	WHFFDN...L11X57	8 N	₹ 5870.00
2.50 sq. mm	WHFFDN...L12X57	6 N	₹ 9345.00
4.00 sq. mm	WHFFDN...L14X07	2 N	₹ 14415.00
6.00 sq. mm	WHFFDN...L16X07	2 N	₹ 21605.00



Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
1.00 sq. mm	WHFFFN...L11X07	10 N	₹ 4140.00
1.50 sq. mm	WHFFFN...L11X57	8 N	₹ 6040.00
2.50 sq. mm	WHFFFN...L12X57	6 N	₹ 9645.00
4.00 sq. mm	WHFFFN...L14X07	2 N	₹ 14845.00
6.00 sq. mm	WHFFFN...L16X07	2 N	₹ 22250.00



Halogen Free Flame Retardant HFFR Insulated Industrial Cables
Havells Single Core copper conductor (Flexible) Industrial Cables, HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
1.00 sq. mm	WHFFZN...L11X07	10 N	₹ 4205.00
1.50 sq. mm	WHFFZN...L11X57	8 N	₹ 6170.00
2.50 sq. mm	WHFFZN...L12X57	6 N	₹ 9830.00
4.00 sq. mm	WHFFZN...L14X07	2 N	₹ 15130.00
6.00 sq. mm	WHFFZN...L16X07	2 N	₹ 22675.00

Features:

- Enhanced flexibility.
- High bending capacity.
- Ideal for wiring in closed confined spaces.

...Fill the colour code i.e. B = Blue B.

Standard Packing: 180 m project packing
Conductors shall be of class V as per IS 8130
Conductor resistance as per IS 8130 is the governing criteria.
• Colours available: Red, Yellow, Blue, Black, Green.
Any other colour on specific request can also be supplied.

- Items generally available in stock.
- Order are accepted subject to availability of stock or for economical run after confirmation

200 m



Flame Retardant FR PVC Insulated Industrial Cables
Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

PROJECT PACKAGING



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 200 m
0.75 sq. mm	WHFFDN...F1X75	10 N	₹ 3605.00
1.00 sq. mm	WHFFDN...F11X0	10 N	₹ 4685.00
1.50 sq. mm	WHFFDN...F11X5	6 N	₹ 6865.00
2.50 sq. mm	WHFFDN...F12X5	4 N	₹ 10920.00
4.00 sq. mm	WHFFDN...F14X0	2 N	₹ 16825.00
6.00 sq. mm	WHFFDN...F16X0	2 N	₹ 25220.00



Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 200 m
1.00 sq. mm	WHFFFN...F11X0	10 N	₹ 4820.00
1.50 sq. mm	WHFFFN...F11X5	6 N	₹ 7065.00
2.50 sq. mm	WHFFFN...F12X5	4 N	₹ 11240.00
4.00 sq. mm	WHFFFN...F14X0	2 N	₹ 17330.00
6.00 sq. mm	WHFFFN...F16X0	2 N	₹ 25975.00

Features:

- Enhanced flexibility.
- High bending capacity.
- Ideal for wiring in closed confined spaces.
- ...Fill the colour code i.e. B = Blue B.

Standard Packing: 200 m project packing
 Conductors shall be of class V as per IS 8130
 Conductor resistance as per IS 8130 is the governing criteria.
 • Colours available: Red, Yellow, Blue, Black, Green.
 Any other colour on specific request can also be supplied.



List Price

List Price w.e.f. 19th Nov, 2024



abpal.com

Havells Multicore Round Cables



Havells PVC insulated and PVC Round Sheathed, Multicore Annealed Bare Copper Conductor (flexible) industrial cable for Voltage Grade 1100 Volt, Conforming to IS 694 : 2010



HSN CODE: 8544

Nominal Area of Conductor sq. mm	Basic Code	List Price in ₹ per 1000 m	Basic Code	List Price in ₹ per 1000 m	Basic Code	List Price in ₹ per 1000 m
2 Core		3 Core		4 Core		
0.50 sq. mm	WHMFDSKG2X50	₹ 32200.00	WHMFDSKG3X50	₹ 44000.00	WHMFDSKG4X50	₹ 56000.00
0.75 sq. mm	WHMFDSKG2X75	₹ 43900.00	WHMFDSKG3X75	₹ 59100.00	WHMFDSKG4X75	₹ 77800.00
1.00 sq. mm	WHMFDSKG21X0	₹ 54100.00	WHMFDSKG31X0	₹ 74600.00	WHMFDSKG41X0	₹ 96600.00
1.50 sq. mm	WHMFDSKG21X5	₹ 74000.00	WHMFDSKG31X5	₹ 104600.00	WHMFDSKG41X5	₹ 136400.00
2.50 sq. mm	WHMFDSKG22X5	₹ 117400.00	WHMFDSKG32X5	₹ 168000.00	WHMFDSKG42X5	₹ 219800.00
4.00 sq. mm	WHMFDSKG24X0	₹ 178200.00	WHMFDSKG34X0	₹ 256800.00	WHMFDSKG44X0	₹ 339300.00
6.00 sq. mm	WHMFDSKG26X0	₹ 261400.00	WHMFDSKG36X0	₹ 386900.00	WHMFDSKG46X0	₹ 495800.00
10.00 sq. mm	WHMFDSKG2010	₹ 435800.00	WHMFDSKG3010	₹ 642900.00	WHMFDSKG4010	₹ 854300.00
16.00 sq. mm	WHMFDSKG2016	₹ 723900.00	WHMFDSKG3016	₹ 1012600.00	WHMFDSKG4016	₹ 1337300.00
25.00 sq. mm	WHMFDSKG2025	₹ 1155100.00	WHMFDSKG3025	₹ 1665500.00	WHMFDSKG4025	₹ 2217500.00
35.00 sq. mm	WHMFDSKG2035	₹ 1594100.00	WHMFDSKG3035	₹ 2313000.00	WHMFDSKG4035	₹ 3036700.00
50.00 sq. mm	-	-	WHMFDSKG3050	₹ 3271000.00	WHMFDSKG4050	₹ 4329000.00
70.00 sq. mm	-	-	WHMFDSKG3070	₹ 4663300.00	WHMFDSKG4070	₹ 6116200.00
95.00 sq. mm	-	-	WHMFDSKG3095	₹ 6138500.00	WHMFDSKG4095	₹ 8007800.00
5 Core		6 Core		7 Core		
0.50 sq. mm	WHMFDSKG5X50	₹ 70300.00	WHMFDSKG6X50	₹ 89600.00	WHMFDSKG7X50	₹ 99400.00
0.75 sq. mm	WHMFDSKG5X75	₹ 99000.00	WHMFDSKG6X75	₹ 122900.00	WHMFDSKG7X75	₹ 137100.00
1.00 sq. mm	WHMFDSKG51X0	₹ 127100.00	WHMFDSKG61X0	₹ 155600.00	WHMFDSKG71X0	₹ 175200.00
1.50 sq. mm	WHMFDSKG51X5	₹ 177100.00	WHMFDSKG61X5	₹ 217900.00	WHMFDSKG71X5	₹ 245000.00
2.50 sq. mm	WHMFDSKG52X5	₹ 288900.00	WHMFDSKG62X5	₹ 353600.00	WHMFDSKG72X5	₹ 392800.00
4.00 sq. mm	WHMFDSKG54X0	₹ 461100.00	WHMFDSKG64X0	₹ 557800.00	WHMFDSKG74X0	₹ 623700.00
6.00 sq. mm	WHMFDSKG56X0	₹ 677900.00	-	-	-	-
10.00 sq. mm	WHMFDSKG5010	₹ 1153500.00	-	-	-	-
8 Core		10 Core		12 Core		
0.50 sq. mm	WHMFDSKG8X50	₹ 119900.00	WHMFDSKGCX50	₹ 144300.00	WHMFDSKGAX50	₹ 169600.00
0.75 sq. mm	WHMFASKG8X75	₹ 161200.00	WHMFDSKGCX75	₹ 197400.00	WHMFDSKGAX75	₹ 233200.00
1.00 sq. mm	WHMFDSKG81X0	₹ 206200.00	WHMFDSKGC1X0	₹ 251600.00	WHMFDSKGA1X0	₹ 299000.00
1.50 sq. mm	WHMFDSKG81X5	₹ 288700.00	WHMFDSKGC1X5	₹ 359300.00	WHMFDSKGA1X5	₹ 424800.00
2.50 sq. mm	WHMFASKB82X5	₹ 468100.00	WHMFDSKGC2X5	₹ 575200.00	WHMFDSKGA2X5	₹ 682100.00
4.00 sq. mm	WHMFDSKG84X0	₹ 732000.00	WHMFDSKGC4X0	₹ 905600.00	WHMFDSKGA4X0	₹ 1065100.00
14 Core		16 Core		19 Core		
0.50 sq. mm	WHMFDSKGEX50	₹ 196700.00	WHMFDSKGI50	₹ 226500.00	WHMFDSKGD50	₹ 259900.00
0.75 sq. mm	WHMFASKGEX75	₹ 269400.00	WHMFDSKGI75	₹ 307000.00	WHMFDSKGD75	₹ 359900.00
1.00 sq. mm	WHMFDSKGE1X0	₹ 348300.00	WHMFDSKGI1X0	₹ 392800.00	WHMFDSKGD1X0	₹ 467000.00
1.50 sq. mm	WHMFDSKGE1X5	₹ 494500.00	WHMFDSKGI1X5	₹ 554300.00	WHMFDSKGD1X5	₹ 664400.00
2.50 sq. mm	WHMFDSKGE2X5	₹ 793100.00	WHMFDSKGI2X5	₹ 904500.00	WHMFDSKGD2X5	₹ 1080800.00
4.00 sq. mm	WHMFDSKGE4X0	₹ 1254000.00	WHMFDSKGI4X0	₹ 1431400.00	WHMFDSKGD4X0	₹ 1702300.00

For FR Insulation/Sheath, the loading factor is 2%
 For FRLSH Insulation/Sheath, the loading factor is 3%
 For HFFR Insulation/Sheath, the loading factor is 5%



Items generally available in stock.



Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th Nov, 2024

Havells Flat Cables



Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors 1100 Volt, conforming to IS 694

IS:694
HSN CODE: 8544 

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
1.50 sq. mm	WHPNDSKG31X5	₹ 105500.00
2.50 sq. mm	WHPNDSKG32X5	₹ 169600.00
4.00 sq. mm	WHPNDSKG34X0	₹ 256100.00
6.00 sq. mm	WHPNDSKG36X0	₹ 373800.00
10.00 sq. mm	WHPNDSKG3010	₹ 635700.00
16.00 sq. mm	WHPNDSKG3016	₹ 1003700.00
25.00 sq. mm	WHPNDSKG3025	₹ 1549600.00
35.00 sq. mm	WHPNDSKG3035	₹ 2164800.00

Standard Packing: 100 m
also available: 500 m \pm 5% on
non returnable wooden drums (on demand)

- Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th Nov, 2024



abpal.com 

Havells Shielded Cables



Havells 1100 Volt Flexible ABC Conductor, PVC Type D Insulated, Cores laid up, Overall Shielded by Al-mylar along with ATC drain wire & Overall PVC Type ST-3 Sheathed Cable

HSN CODE: 8544

Item Description	Item Code	List Price in ₹ per 1000 m	Item Description	Item Code	List Price in ₹ per 1000 m	Item Description	Item Code	List Price in ₹ per 1000 m
2 Core			3 Core			4 Core		
2C x 0.50 sq. mm	WHSFDSKG2X50	₹ 55500.00	3C x 0.50 sq. mm	WHSFDSKG3X50	₹ 71000.00	4C x 0.50 sq. mm	WHSFDSKG4X50	₹ 85400.00
2C x 0.75 sq. mm	WHSFDSKG2X75	₹ 66400.00	3C x 0.75 sq. mm	WHSFDSKG3X75	₹ 89100.00	4C x 0.75 sq. mm	WHSFDSKG4X75	₹ 113200.00
2C x 1.00 sq. mm	WHSFDSKG21X0	₹ 77400.00	3C x 1.00 sq. mm	WHSFDSKG31X0	₹ 105600.00	4C x 1.00 sq. mm	WHSFDSKG41X0	₹ 127700.00
2C x 1.50 sq. mm	WHSFDSKG21X5	₹ 97600.00	3C x 1.50 sq. mm	WHSFDSKG31X5	₹ 130100.00	4C x 1.50 sq. mm	WHSFDSKG41X5	₹ 165600.00
2C x 2.50 sq. mm	WHSFDSKG22X5	₹ 151700.00	3C x 2.50 sq. mm	WHSFDSKG32X5	₹ 206600.00	4C x 2.50 sq. mm	WHSFDSKG42X5	₹ 266500.00
2C x 4.00 sq. mm	WHSFDSKG24X0	₹ 224400.00	3C x 4.00 sq. mm	WHSFDSKG34X0	₹ 297400.00	4C x 4.00 sq. mm	WHSFDSKG44X0	₹ 396800.00
5 Core			6 Core			7 Core		
5C x 0.50 sq. mm	WHSFDSKG5X50	₹ 97200.00	6C x 0.50 sq. mm	WHSFDSKG6X50	₹ 102800.00	7C x 0.50 sq. mm	WHSFDSKG7X50	₹ 125900.00
5C x 0.75 sq. mm	WHSFDSKG5X75	₹ 128300.00	6C x 0.75 sq. mm	WHSFDSKG6X75	₹ 149000.00	7C x 0.75 sq. mm	WHSFDSKG7X75	₹ 177600.00
5C x 1.00 sq. mm	WHSFDSKG51X0	₹ 160300.00	6C x 1.00 sq. mm	WHSFDSKG61X0	₹ 183400.00	7C x 1.00 sq. mm	WHSFDSKG71X0	₹ 218000.00
5C x 1.50 sq. mm	WHSFDSKG51X5	₹ 206400.00	6C x 1.50 sq. mm	WHSFDSKG61X5	₹ 240800.00	7C x 1.50 sq. mm	WHSFDSKG71X5	₹ 292600.00
5C x 2.50 sq. mm	WHSFDSKG52X5	₹ 332800.00	6C x 2.50 sq. mm	WHSFDSKG62X5	₹ 405900.00	7C x 2.50 sq. mm	WHSFDSKG72X5	₹ 459700.00
5C x 4.00 sq. mm	WHSFDSKG54X0	₹ 494000.00	6C x 4.00 sq. mm	WHSFDSKG64X0	₹ 583700.00	7C x 4.00 sq. mm	WHSFDSKG74X0	₹ 689500.00
8 Core			10 Core			12 Core		
8C x 0.50 sq. mm	WHSFDSKG8X50	₹ 151100.00	10C x 0.50 sq. mm	WHSFDSKGCX50	₹ 172000.00	12C x 0.50 sq. mm	WHSFDSKGAX50	₹ 200500.00
8C x 0.75 sq. mm	WHSFDSKG8X75	₹ 195000.00	10C x 0.75 sq. mm	WHSFDSKGCX75	₹ 240800.00	12C x 0.75 sq. mm	WHSFDSKGAX75	₹ 286900.00
8C x 1.00 sq. mm	WHSFDSKG81X0	₹ 240800.00	10C x 1.00 sq. mm	WHSFDSKGC1X0	₹ 298500.00	12C x 1.00 sq. mm	WHSFDSKGA1X0	₹ 356000.00
8C x 1.50 sq. mm	WHSFDSKG81X5	₹ 321400.00	10C x 1.50 sq. mm	WHSFDSKGC1X5	₹ 401900.00	12C x 1.50 sq. mm	WHSFDSKGA1X5	₹ 482400.00
8C x 2.50 sq. mm	WHSFDSKG82X5	₹ 528300.00	10C x 2.50 sq. mm	WHSFDSKGC2X5	₹ 655000.00	12C x 2.50 sq. mm	WHSFDSKGA2X5	₹ 769900.00
8C x 4.00 sq. mm	WHSFDSKG84X0	₹ 781200.00	10C x 4.00 sq. mm	WHSFDSKGC4X0	₹ 977000.00	12C x 4.00 sq. mm	WHSFDSKGA4X0	₹ 1172500.00

○ Items generally available in stock. ● Order are accepted subject to availability of stock or for economical run after confirmation

Havells Solar Cables



Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to BSEN 50618.

HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 100 m
2.5 sq. mm	WHBGGZ..B12X5	₹ 6070.00
4.0 sq. mm	WHBGGZ..B14X0	₹ 8765.00
6.0 sq. mm	WHBGGZ..B16X0	₹ 12705.00
10 sq. mm	WHBGGZ..B1010	₹ 21125.00

Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to TUV specification 1169/08.2007

HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
2.5 sq. mm	WHBGGZ...G12X5	₹ 57600.00
4.0 sq. mm	WHBGGZ...G14X0	₹ 84700.00
6.0 sq. mm	WHBGGZ...G16X0	₹ 123600.00

Please get in touch with our sales representative for other SKU's, MOQ and delivery.

- Items generally available in stock.
 Order are accepted subject to availability of stock or for economical run after confirmation




List Price

List Price w.e.f. 19th Nov, 2024



Havells Communication Cables,
The World will now be connected.



Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications confirming to **TECHNICAL** specification **G/WIRO6/02**



HSN CODE: 8544

No. of Pairs	UNARMoured 0.4 mm ATC			
	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 180 m
1 Pair	WHTTATEA1P40	₹ 785.00	WHTTATEL1P40	₹ 1560.00
2 Pair	WHTTATEA2P40	₹ 1310.00	WHTTATEL2P40	₹ 2620.00
3 Pair	WHTTATEA3P40	₹ 1920.00	WHTTATEL3P40	₹ 3850.00
4 Pair	WHTTATEA4P40	₹ 2495.00	WHTTATEL4P40	₹ 4995.00
5 Pair	WHTTATEA5P40	₹ 3120.00	WHTTATEL5P40	₹ 6230.00
10 Pair	WHTTATEA1040	₹ 5940.00	WHTTATEL1040	₹ 11875.00
20 Pair	WHTTATEA2040	₹ 11050.00	WHTTATEL2040	₹ 22110.00

Standard Packing: 90 m in carton Project packing: 180 m poly wrapped

0.5 mm Telecom Switch Board Cables is available on request. Kindly contact our Sales Representative.

Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Copper conductor, Jelly Field, Aluminium Foiled and Aluminium wire Braided)



HSN CODE: 8544

Item / Type	Screen	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 59 (Foam)	Al FOIL + Al BRAID	WHOJTTKARG59	₹ 2405.00	WHOJTTKERG59	₹ 8180.00
RG 06 (Foam)	Al FOIL + Al BRAID	WHOJTTKARG06	₹ 2910.00	WHOJTTKERG06	₹ 9855.00
RG 11 (Foam)	Al FOIL + Al BRAID	WHOJTTKARG11	₹ 6920.00	WHOJTTKERG11	₹ 23440.00

CCS Co-Axial Cable

INDUSTRIAL GRADE RG-06 CCS CO-AXIAL CABLE 90 m

HSN CODE: 8544

Item / Type	Screen	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 06 CCS	Al FOIL + Al BRAID	WHOJTTKARG09	₹ 1850.00	WHOJTTKARG08	₹ 6250.00

Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

Havells Computer LAN Network Cable

(Electrolytic grade solid annealed bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey	WHLJTTERCAT6	₹ 13590.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Blue	WHLJTTBRCAT6	₹ 13590.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Yellow	WHLJTTYRCAT6	₹ 13590.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey	WHLJTAEBCAT6	₹ 4455.00
UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey	WHLJTTRKCAT6	₹ 12715.00
UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey	WHLJDSEBCAT6	₹ 4170.00



Havells CCTV Camera Cable

PVC Insulated with RG59 Co-axial cable copper conductor and PVC outer Sheathed CCTV Camera Cable

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
CCTV 3+1	WHOJTDWACT31	₹ 2635.00	WHOJTDWRCT31	₹ 8920.00
CCTV 4+1	WHOJTDWACT41	₹ 2940.00	WHOJTDWRCT41	₹ 9985.00



Havells Speaker Cable

(Havells transparent FR PVC insulated, twin core copper conductor (Flexible) Industrial Speaker cable).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 100 m
SPEAKER 2x0.5 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDAWB2X50	₹ 2370.00
SPEAKER 2x0.75 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDBWB2X75	₹ 3525.00
SPEAKER 2x1.0 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X0	₹ 4440.00
SPEAKER 2x1.5 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X5	₹ 6395.00



Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 Volt / 650 Volt / 1100 Volt grade in conductor sizes: 0.5 sq. mm/ 0.75 sq. mm/ 1.0 sq. mm/ 1.5 sq. mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

Suitable for Low Frequency Signals.

Prices available on demand.

Note: Properties of HFFR is not covered under IS 694

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

Terms & Conditions: • Prices are in Indian ₹. • The List prices are inclusive of GST. • This List Price supercedes all our previous Price Lists. • Prices are subject to change without notice. • Company reserves the right to issue amendments, which may arise due to any errors in the list price.

Actual products may vary in colour, design, description and colour combination etc.

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing. Current details should therefore be checked with Havells Group.



AB Pal Electricals (P) Limited

Regd. Office: 1826, Bhagirath Palace, Chandni Chowk, Delhi-110006, India
Tel.: +91-11-43-111-333, 2386-5954, 3622, 4081, 8081, Mob.: +91-98914-98555
E-Mail: contact@abpal.com, Website: www.abpal.com

Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000

Email: marketing@havells.com, www.havells.com

Consumer Care No.: 08045 77 1313

Join us on Facebook at www.facebook.com/havells and share your ways to save planet!

CIN - L31900DL1983PLC016304

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.



HAVELLS