



A B Pal Electricals (P) Limited

Price List for LT-HT Cables

Price List No : GCL/LTAL/OCT-24 - W.E.F. : 09/10/2024

"GLOSTER" Brand 650/1100 Volts Power Cables with Aluminium Conductor (Solid up to 10 sqmm and Stranded for balance), XLPE Insulated, Cores Laid Up, Thermoplastic Tape Inner Sheathed, Unarmoured/ Armoured and Extruded PVC Type ST2 Outer Sheathed As Per IS-7098 (Part 1) 2011 with Up To Date Amendments.



Cross Section (Sq.mm.)	LT ALUMINIUM CABLES										Cross Section (Sq.mm.)	
	UNARMOURED					ARMOURED						
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core		
	A2XY					A2XWαY/ A2XFαY	A2XWY/A2XFY					
HSN CODE : 8544												
6		155	184		225		241	263		314	6	
10		225	250		295		305	340		432	10	
16	109	228	283		374	196	347	366		462	16	
25	157	295	399	506	532	258	370	468	543	582	25	
35	203	387	549	594	659	312	462	618	687	783	35	
50	261	486	676	805	882	385	598	804	930	1046	50	
70	360	699	973	1100	1266	492	800	1103	1253	1421	70	
95	463	829	1184	1400	1509	590	989	1358	1565	1772	95	
120	577	1033	1546	1800	1868	685	1180	1653	1960	2161	120	
150	713	1285	1818	2106	2313	816	1451	2030	2323	2656	150	
185	883	1532	2292	2693	2863	1003	1745	2514	2941	3268	185	
240	1120	2004	2958	3296	3740	1239	2313	3210	3693	4219	240	
300	1385	2449	3626	4271	4555	1525	2835	3966	4544	5201	300	
400	1782	3056	4524	5337	5997	1926	3681	5070	5805	6687	400	
500	2240	3898	6282	7365	8365	2399	4970	6668	8205	9245	500	
630	2774	4963	8274	9770	11193	2961	6114	8899	10054	12135	630	
800	3463					3639					800	
1000	4366					4475					1000	
Extra for Special Construction						Loading Factors						
1) Round Wire Armouring	1C X 95 & above		30%		Cable Type (Sq.mm)	FRLS LOADING				LSZH LOADING		
	2C X 16 and above		30%			Inner Sheath	Outer Sheath		Inner sheath	Outer sheath		
	3C X 16 and above		30%				Armd.	UnArmd				
	3.5C X 25 and above		30%			Power (Aluminium)						
	4C X 10 and above		30%									
2) Stranding 10 Sq.mm. and below					Up to 16	15%	11.5%	11.5%	22.5%	30%		
3) Extruded PVC Inner Sheath :-					Up To 50	7.5%	25 to 50	11.50	11.5%	11.5%	18%	22.5%
					70 & Above	4%	70 & Abv	7.5%	7.5%	7.5%	22.5%	18.0%
4) HR PVC					Power Single Core (Aluminium)							
					i) Insulation	15%						
					ii) Inner Sheath	7.5%						
					iii) Outer Sheath	7.5%	Up to 16	NA	15%	15%	NA	37.5%
5) FR/Oxygen Index PVC					4.0%	25 to 50	NA	15%	15%	NA	30%	
6) PVC Insulated Cables as per IS 1554 PT-I					12%	70 & Abv	NA	11.5%	11.5%	NA	26%	
This Price List supersedes all our earlier price list.						Prices are subject to change without any prior intimation.						
The above rates are exclusive of GST & any other statutory levies which shall be charged extra.												





A B Pal Electricals (P) Limited

Price List for LT-HT Cables

Price List No : GCL/LTCuC/OCT-24 - W.E.F. : 09/10/2024

"GLOSTER" Brand 650/1100 Volts Control Cables with Solid Copper Conductor, XLPE Insulated, Cores Laid Up, Extruded PVC (Upto 4 core) / Thermoplastic Tape Inner Sheathed, Unarmoured/ Armoured and Extruded PVC Type ST2 Outer Sheathed As Per IS-7098 (Part 1) 2011 with Up To Date Amendments.

Number Of Cores	LT COPPER CONTROL CABLES				Number Of Cores
	UNARMOURED		ARMOURED		
	1.5 Sqmm	2.5 Sqmm.	1.5 Sqmm	2.5 Sqmm.	
Rate : Rs. Per Meter					
HSN CODE : 8544					
2	172	260	220	311	2
3	238	364	274	401	3
4	305	475	339	502	4
5	366	577	406	599	5
6	434	686	475	708	6
7	497	790	531	805	7
8	610	845	684	928	8
10	725	1014	773	1118	10
12	762	1241	847	1299	12
14	799	1436	965	1509	14
16	962	1645	1084	1714	16
19	1152	1948	1287	2021	19
24	1459	2460	1610	2528	24
27	1595	2903	1773	3014	27
30	1893	3443	1976	3624	30
37	2553	4127	2669	4233	37
44	3048	4921	3183	4944	44
61	4459	6773	4685	7168	61

Extra For Special Construction

	1) Round Wire Armouring	1.5 sq.mm.-12 core & above	18.00%
		2.5 sq.mm.- 9 core & above	18.00%
	2) Stranding For Conductor (Upto 6 Sqmm)		4.00%
	3) Copper Tinning : Prices will be provided on request		
	4) Extruded PVC Inner Sheath		4.00%
	5) HR PVC Insulation		10.00%
	6) HR PVC Inner Sheath/Outer Sheath (EACH)		7.50%
	7) FR / Oxygen Index		4.00%
8) PVC Insulated Cable as per IS : 1554 PT - I		7.50%	

Loading Factors

No. Of CORES	FRLS Inner Sheath	FRLS Outer Sheath		LSZH	
		Armoured	Unarmoured	Inner Sheath	Outer Sheath
2 Core To 4 Core	7.50%	9.00%	9.00%	22.50%	22.50%
5 Core To 10 Core	7.50%	6.00%	6.00%	22.50%	22.50%
12 Core & Above	7.50%	6.00%	6.00%	18.00%	18.00%

This Price List supersedes all our earlier price list.

Prices are subject to change without any prior intimation.

The above rates are exclusive of GST & any other statutory levies which shall be charged extra.





A B Pal Electricals (P) Limited

Price List for LT-HT Cables

Price List No : GCL/LTCuP/OCT-24 - W.E.F. : 09/10/2024

"GLOSTER" Brand 650/1100 Volts Power Cables with Copper Conductor (Solid upto 6 sqmm and Stranded for balance), XLPE Insulated, Cores Laid Up, Thermoplastic Tape Inner Sheathed, Unarmoured/ Armoured and Extruded PVC Type ST2 Outer Sheathed As Per IS-7098 (Part 1) 2011 with Up To Date Amendments.



Cross Section (Sq.mm.)	LT COPPER POWER CABLES										Cross Section (Sq.mm.)
	UNARMOURED					ARMOURED					
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	
	2XY	2XY	2XY	2XY	2XY	2XWay/ 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY	
Rate : Rs. Per Meter											
HSN CODE : 8544											
4		358	510		631		421	564		722	4
6		508	737		892		576	796		1021	6
10		886	1221		1457		920	1263		1653	10
16	686	1231	1895		2378	820	1344	1976		2549	16
25	1088	2148	2986	3557	3910	1199	2313	3157	3784	4162	25
35	1505	2975	4004	4678	5359	1628	3169	4281	4961	5648	35
50	2061	4080	5505	6614	7318	2201	4139	5851	6906	7828	50
70	2935	5818	8081	9343	10613	3091	6149	8514	9713	11092	70
95	4001	7953	11396	13386	15306	4108	8498	11636	13449	15846	95
120	5044	10051	13952	17738	19866	5169	10132	14923	18329	20015	120
150	6302	12535	18684	21581	24833	6431	12685	18979	22172	25424	150
185	7734	15142	23059	26961	30745	7906	15703	24123	28226	32223	185
240	9992	19388	30137	35204	40738	10158	20229	31336	36433	41569	240
300	12464	24157	37376	43404	50310	12665	25622	39496	45676	52858	300
400	16378	32244	46591	53070	66188	16555	34853	50729	57730	70667	400
500	20694					20930					500
630	26015					26370					630
800	33110					33465					800
1000	41388					41742					1000
Extra For Special Construction											
	1) Round Wire Armouring		1C X 95 sqmm and above		9.00%						
			2X16, 3X16, 4X10, 9X2.5, 12X1.5 & Above		18.00%						
	2) Stranding For Conductor		Upto 6 Sqmm.		4.00%						
	3) Copper Tinning : Prices will be provided on request										
	4) Extruded PVC Inner Sheath				4.00%						
	5) HR PVC Insulation				10.00%						
	6) HR PVC Inner Sheath/Outer Sheath (EACH)				7.50%						
	7) FR / Oxygen Index				4.00%						
8) PVC Insulated Cable as per IS : 1554 PT - I				7.50%							
Loading Factors											
No. Of CORES	FRLS Inner Sheath	FRLS Outer Sheath		LSZH							
		Armoured	Unarmoured	Inner Sheath	Outer Sheath						
Upto 6 sq.mm	11.50%	9.00%	9.00%	22.50%	22.50%						
10 sq.mm & Above	6.00%	6.00%	6.00%	22.50%	22.50%						
This Price List supersedes all our earlier price list.			Prices are subject to change without any prior intimation.								
The above rates are exclusive of GST & any other statutory levies which shall be charged extra.											





A B Pal Electricals (P) Limited

Price List for LT-HT Cables

Price List No : GCL/HT-1-AL/OCT-24 - W.E.F. : 09/10/2024

"GLOSTER" Brand HT Cable with Stranded compact circular Aluminium conductor, conductor screened with Extruded semiconducting compound, XLPE Insulated, Insulation Screened with Extruded semiconducting compound in combination with Copper Tape, Aluminium Flat Strip / Round Wire armoured, and overall PVC ST2 Sheathed cable Conforming to IS:7098 Part-II 2011 with latest amendments.

SINGLE CORE HT XLPE CABLES												Rate : Rs. Per Meter	
Sqmm.	3.3 KV E & UE / 6.6 KV (E)		6.6 KV (UE) 11KV (E)		11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)		
	Aluminium Flat Strip	Aluminium Round	Aluminium Flat Strip	Aluminium Round	Aluminium Flat Strip	Aluminium Round	Aluminium Flat Strip	Aluminium Round	Aluminium Flat Strip	Aluminium Round	Aluminium Flat Strip	Aluminium Round	
HSN CODE : 8544													
35													
50													
70													
95													
120													
150													
185													
240	1637	1717	1799	1889	2037	2144	2085	2195	2681	2826	3070	3235	
300	1875	1979	2063	2178	2321	2443	2374	2500	3170	3340	3412	3595	
400	2280	2402	2474	2604	2755	2897	2816	2962	3637	3821	3849	4049	
500	2910	3066	3016	3170	3461	3640	3461	3640	4285	4514	4467	4707	
630	3515	3703	3610	3799	4089	4299	4089	4299	4984	5244	5189	5459	
800	4369	4594	4429	4790	4899	5157	4899	5157	5898	6206	6155	6472	
1000	5168	5440	5675	5978	6072	6385	6072	6385	7217	7566	7757	8164	
Extra for Special Construction													
	a)	FRLS PVC INNER SHEATH (Up To 11 KV (E))										11.50%	
	b)	FRLS PVC OUTER SHEATH (Above 11 KV E)										7.50%	
	c)	FRLS PVC OUTER SHEATH										7.50%	
	d)	OXYGEN INDEX										4.50%	
This Price List supersedes all our earlier price list.							Prices are subject to change without any prior intimation.						
The above rates are exclusive of GST & any other statutory levies which shall be charged extra.													





A B Pal Electricals (P) Limited

Price List for LT-HT Cables

Price List No : GCL/HT-3AL/OCT-24 - W.E.F. : 09/10/2024

"GLOSTER" brand HT Cable with Stranded Compacted Circular Aluminium Conductor, Conductor Screened with Extruded Semi-conducting compound, XLPE Insulated, Insulation Screened with extruded semi-conductin compound in combination with Copper Tape, cores laid up, inner sheath of Thermoplastic tape, galvanised flat steel strip armoured and overall Extruded PVC Type ST-2 Outer Sheathed cable conforming to IS:7098, Part-II/2011 with latest amendments.

3 CORE HT XLPE CABLES				Rate : Rs. Per Meter		
A2XCEFY						
Sqmm.	3.3 KV E & UE / 6.6 KV (E)	6.6 KV (UE) / 11KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
HSN CODE : 8544						
35		1511				
50		1806				
70	2031	2201				
95	2292	2496	3374	3443	4561	
120	2775	3013	3791	3869	5143	
150	3258	3530	4348	4437	5528	5981
185	3737	4025	4908	5009	6171	6652
240	4556	4877	5794	5912	7289	7715
300	5446	5769	6793	6932	8228	9056
400	6907	7218	8240	8407	9973	10487
Extra for Special Construction						
	a) EXTRUDED PVC INNER SHEATH					4.50%
	b) PRESSURE EXTRUDED PVC INNER SHEATH					19.50%
	c) ROUND WIRE ARMOURING					
	i) UP TO 11KV (E)					30.00%
	ii) 11 KV (UE) & ABOVE					33.00%
	d) FRLS PVC INNER SHEATH					7.50%
e) FRLS PVC OUTER SHEATH					7.50%	
f) FR SHEATH WITH OXYGEN INDEX 26-30					4.50%	
This Price List supersedes all our earlier price list.			Prices are subject to change without any prior intimation.			
The above rates are exclusive of GST & any other statutory levies which shall be charged extra.						

